



**Product Catalogue** 

Version 5 | armorgard.co.uk



armorgard



To the latest edition of the Armorgard product catalogue. This catalogue includes our extensive range of market-leading solutions for on-site security, safety and productivity. All of our products are exclusive to Armorgard and come from the work of our talented in-house R&D team. Our latest innovations are used as essential solutions for H&S best practice. You won't find the same products anywhere else and you certainly won't find better.

For help, advice and to place orders, contact our team on **023 9238 0280** or email **sales@armorgard.co.uk armorgard.co.uk** 





The images used throughout are for the purpose of illustration and reference only. Content may not be included as standard. Please note that dimensions are approximate.



# What we stand for...



#### **Our vision**

To supply and produce innovative solutions to increase safety and productivity in workplaces all over the world.



#### **Our mission**

Design and manufacture market-leading products for secure tool storage, efficient manual handling and improved site safety.



#### **Our values (SHAPE)** Supportive

- We treat our colleagues and our customers with respect
- We work as a team to ensure success



#### Honest

- We are clear in all communication, providing assurance to our customers and colleagues
- We build trust with all of our customers and colleagues through managing expectations



#### **Accountable**

- We do what we say we will do
- We are accountable as a team and as individuals



#### **Passionate**

- We strive to be positive role models, demonstrating passion for our business
- We are inquisitive and open to new



#### **Excellence**

- We aim to exceed expectations through our performance
- We always aim higher for our customers

» robust » secure » trusted





# We look at things from a different angle

Every product is developed in response to a need. We listen to all customers and create the perfect solutions to their problems.

Our team continue to develop excellent new products that are tough, dependable and purpose-built for your needs. Plus, we won't keep you waiting. We pride ourselves on our high stock levels and next day delivery on all stock items.

If you have an idea for a new product or feedback on an existing one, we'd love to hear from you. Please send an email to marketing@armorgard.co.uk



Next day delivery on stock items ordered before 3pm



Replacement keys & parts available. See page 114

"Our product team is continually developing new ideas – tough, dependable products."

# **Contents**

#### **SECTION 01** strongbank™ tuffstor cabinet™ tuffbank™ 12 fittingstor™ 28 Tool and equipment oxbox™ 16 pipestor™ 32 storage trekdror™ 18 tuffcrate™ 33 barrobox™ 22 forma-stor™ 34 toolbin™ 24 strimmersafe vault<sup>™</sup> 38 25 39 powerstation™ strimmersafe rack™ 42 **SECTION 02** instagate™ 44 Work barricade™ platforms 45 tuffbench™ and units mobile tuffbench™ 46 48 cuttingstation™ 52 sitestation™ 56 **SECTION 03** scrubkart™ 58 sanistation™ S40 Welfare products 60 sanistation mini™ sanistation™ S20 62 forma-shelta<sup>™</sup> 63 66 flexikart™ **SECTION 04** piperack™ 70 80 bundlerack™ v-kart™ Manual handling loadall™ beamkart™ products rubble truck™ 76 turntable truck™ 81 **SECTION 05** A guide to storing safestor™ 84 hazardous substances forma-stor COSHH™ 100 Hazardous 86 goods storage flambank™ flamstor™ 104 flamstor cabinet<sup>™</sup> 90 tuffcage™ 106 transbank™ 92 107 drumcage™ 94 transbank chem™ gorilla gas cage™ 108 chembank™ ...96 drumbank™ 110 chemcube cabinet™ 97

Replacement keys and parts....

**SECTION 06** 

6





SECTION 01
TOOL AND
EQUIPMENT
STORAGE





## **SECTION 01**

### Tool and equipment storage

strongbank <sup>™</sup>	10
tuffbank <sup>™</sup>	12
oxbox™	
rekdror™	18
oarrobox™	22
toolbin™	24
oowerstation™	25
tuffstor cabinet™	
ittingstor™	28
pipestor™	32
:uffcrate <sup>™</sup>	33
forma-stor™	34
strimmersafe vault <sup>™</sup>	
strimmersafe rack™	

**The ultra-strong** StrongBank<sup>™</sup> – the world's toughest range of tool safes strongbox. When we started out, our goal was to design and build the ultimate secure storage box. The result was **StrongBank**™. Now, more than 30 years later, there is still nothing on the market that compares.

> This state-of-the-art strongbox delivers virtually indestructible performance to deter even the most determined thief.

For on-site solutions, call our customer

experience team on **023 9238 0280** 

or email sales@armorgard.co.uk

# armorgard **strongbank**<sup>TM</sup>



SUITABLE FOR VANS, TRUCKS, WORKSHOPS AND SITES

HEAVY-DUTY STEEL

PLATE WITH 5MM

REINFORCEMENTS

## >> "IT IS QUITE SIMPLY WITHOUT RIVAL."



Product Code	Description	Weight (kg)	External Dimensions $W \times D \times H \text{ (mm)}$	Internal Dimensions W x D x H (mm)
SB1	Van Box	59	1030 x 565 x 480	895 x 460 x 470
SB2	Site Box 4x2x2	98	1310 x 690 x 665	1185 x 605 x 575
SB3	Site Box 4x3x2	120	1300 x 690 x 970	1185 x 600 x 880
SB6	Truck Box 6x2x2	138	2000 x 690 x 665	1885 x 605 x 580

secure site

Our best-selling Built to a rigorous specification with a host of innovative features, TuffBank™ storage solution sets the industry benchmark for quality and functionality. A Sold Secure and Secured by Design accredited product, its heavy-duty steel plate construction and unique anti-jemmy technology



UNIQUE POWERSHELF SECURELY CHARGES TOOLS AND MOBILE DEVICES

TO ALLOW FOR TRANSIT BY CRANE

HEAVY-DUTY CASTORS INCREASE MOVABILITY ON-SITE



INSET HANDLES FOR

OPTIONAL SHELVES FOR

ROBUST CONSTRUCTION

12

MARKET-LEADING TOOL VAULT OFFERING BEST-IN-CLASS PERFORMANCE





<sup>\*</sup>Optional shelves available for on-site chests, see page 115. Note: Weights and dimensions are approximate. External dimensions include handles.

#### solution for securing tools and equipment

The robust, good value OxBox™ tool vaults provide a fantastic combination of security and affordability. OxBox<sup>™</sup> shares many of the premium features of our higher priced storage box ranges, including locks, hinges, gas struts and paint finish. Its unique "folded" construction delivers outstanding strength. Made from 1.5mm and 2.0mm steel, the



#### >> "EFFECTIVE SECURITY - GREAT VALUE"



Product Code	Description	Weight (kg)	External Dimensions W x D x H (mm)	Internal Dimensions W x D x H (mm)
OX05	Van Box	27	810 x 470 x 385	755 x 425 x 370
OX1	Van Box	32	885 x 470 x 450	830 x 425 x 435
OX2	Truck Box	41	1155 x 450 x 460	1130 x 425 x 445
OX3	Site Box 4x2x2	60	1210 x 625 x 645	1115 x 595 x 550
OX4	Site Chest 4x4x2	89	1215 x 595 x 1185	1125 x 570 x 1090
OX6	Truck Box	60	1740 x 515 x 445	1715 x 485 x 430

<sup>\*</sup>Optional shelves available for on-site chests, see page 115. Note: Weights and dimensions are approximate. External dimensions include handles.



# >> "BRILLIANT! AMAZING TO SEE HOW MUCH KIT YOU CAN FIT IN THEM"

## armorgard **trekdror**<sup>TM</sup>





TKD3



MOUNTING KIT ALLOWS THE TREKDROR™ TO BE MOUNTED



DIVIDER KIT ALLOWS
YOU TO EASILY
ORGANISE YOUR TOOLS



OPTIONAL ANTI-SLIP RUBBER MAT TO PREVENT TOOLS FROM MOVING



STACKING KIT ALLOWS
THE TREKDROR™ TO BE
STACKED

Product Code	Description	Weight (kg)	External Dimensions W x D x H (mm)	External Dimensions 2 (including drawer open) W x D x H (mm)	Internal Dimensions W x D x H (mm)
TKD1	TrekDror™	44	490 x 1105 x 300	490 x 1900 x 300	435 x 1040 x 245
TKD2	TrekDror <sup>™</sup>	63	980 x 1105 x 200	980 x 1905 x 200	925 x 1040 x 145
TKD3	TrekDror <sup>™</sup>	58	490 x 1105 x 490	490 x 1905 x 490	435 x 1040 x 435
TKD1D	TrekDror <sup>™</sup> Divider Kit	3	435 x 3 x 240	N/A	N/A
TKD2D	TrekDror <sup>™</sup> Divider Kit	3	140 x 3 x 925	N/A	N/A
TKD3D	TrekDror <sup>™</sup> Divider Kit	3	435 x 3 x 400	N/A	N/A
TKDMPK	TrekDror <sup>™</sup> Mounting Kit	1	N/A	N/A	N/A
TKDSPK	TrekDror <sup>™</sup> Stacking kit	1	N/A	N/A	N/A
TKD1RM	TrekDror <sup>™</sup> Mat for TKD1	1.5	437 x 1040 x 3	N/A	N/A
TKD2RM	TrekDror <sup>™</sup> Mat for TKD2	3	927 x 1040 x 3	N/A	N/A
TKD3RM	TrekDror <sup>™</sup> Mat for TKD3	1.5	437 x 1040 x 3	N/A	N/A

armorgard

BarroBox<sup>™</sup> is secure, robust, and extremely versatile. This one-of-a-kind, mobile site box protects your tools wherever you need to work.

Easily wheel tools and equipment around on-site, then use a lever from inside the box to raise the wheels and lock to create a static, secure tool vault.

armorgard

**barrobox**<sup>TM</sup>



KEYED ALIKE 5-LEVER DEADLOCKS BOTH SIDES WITH HEAVY-DUTY CHUBB-STYLE KEYS

> SLAMSTOP LID STAY FOR ADDITIONAL USER SAFETY



LIFTING HANDLE INSTANTLY CONVERTS BARROBOX<sup>TM</sup> FROM MOBILE TO STATIC

ROBUST CONSTRUCTION FROM HEAVY-DUTY STEEL PLATE THROUGHOUT

POWDER COATED FOR MAXIMUM DURABILITY





ROBUST FOLDING HANDLES ENSURE THE BARROBOX<sup>TM</sup> IS EASY TO MANOEUVRE

STRONG GAS STRUTS FITTED AS STANDARD

- CONFORMS TO INDUSTRY STANDARDS

ANTI-JEMMY FEATURES FOR INCREASED SECURITY

HEAVY-DUTY WHEELS
TO TAKE IMPACT

For on-site solutions, call our customer experience team on **023 9238 0280** or email **sales@armorgard.co.uk** 

 Product Code
 Description
 Weight (kg)
 External Dimensions W x D x H (mm)
 Internal Dimensions W x D x H (mm)

 BB2
 BarroBox™
 82
 770 x 1045 x 716
 600 x 797 x 608

armorgard

Note: Weights and dimensions are approximate. External dimensions include handles.

armorgard

vault for storing everyday tools and materials

The lightweight Manufactured from galvanised steel, this lightweight vault is designed to store less valuable items in locations where high security is not a priority. Versatile and cost-effective, **ToolBin**™ protects your tools and materials from the elements while keeping them safe from opportunists.

The secure powered locker for safe, segregated battery charging Power tools and mobile devices are especially vulnerable to theft when being charged on-site. **PowerStation**™ gives you the confidence that your unattended equipment is secure and safe from thieves. Each individual locker includes a double socket. Replacement keys can be provided for each individual lock.

## armorgard **toolbin**<sup>TM</sup>

armorgard

powerstation™



Product Code	Description	Weight (kg)	External Dimensions W x D x H (mm)	Internal Dimensions W x D x H (mm)
GB3	ToolBin <sup>™</sup>	23	1190 x 585 x 850	1150 x 555 x 825


Product Code External Dimensions W x D x H (mm) Description Weight (kg) PWS6 6 Door PowerStation<sup>™</sup> 27 300 x 450 x 1800 Single locker: 295 x 425 x 275 10 Door PowerStation 455 x 430 x 1705 Single locker: 220 x 305 x 305

# armorgard tuffstor cabinet™

organised and accessible

The ultra-tough TuffStor Cabinet™ offers the same level cabinet that keeps of security as a conventional site safe but your equipment uses less floor space. This versatile, secure cabinet keeps tools safe and easily accessible. Ideal for use in workshops and vehicles. Want it mobile? It's easy to add castors using the pre-drilled holes.

or email sales@armorgard.co.uk









HEAVY-DUTY CASTORS
USING THE PRE-DRILLED
HOLES



Product Code	Description	Weight (kg)	External Dimensions W x D x H (mm)	Internal Dimensions W x D x H (mm)
TSC1	TuffStor Cabinet <sup>™</sup>	44	500 x 530 x 980	490 x 465 x 895
TSC2	TuffStor Cabinet <sup>™</sup>	74	800 x 585 x 1250	790 x 540 x 1170
TSC3	TuffStor Cabinet <sup>™</sup>	113	1205 x 580 x 1555	1185 x 510 x 1475

cabinet designed to keep thieves at bay!

The secure storage The high value of copper fittings and cabling means that theft is on the rise, with criminals targeting construction sites on a daily basis. Don't make it easy for them! FittingStor™ is designed to secure all your costly M&E components and tools in one safe, easily portable location.

# armorgard **fittingstor**<sup>TM</sup>




WATCH THE FITTINGSTOR™ IN ACTION

POWDER COATED
FOR MAXIMUM DURABILITY

FITTINGS BINS
TOUGH LIFT-OUT PLASTIC
FITTINGS BINS SUPPLIED (6 X BINS FOR FC2 AND 15 X BINS FOR FC3)









Product Code	Description	Weight (kg)	External Dimensions $W \times D \times H \text{ (mm)}$	Internal Dimensions W x D x H (mm)
FC2	FittingStor™	89	800 x 555 x 1450	790 x 540 x 1170
FC3	FittingStor™	139	1200 x 550 x 1750	1185 x 510 x 1465
FC4	FittingStor™	133	1010 x 550 x 1575	995 x 505 x 1295
FC5	FittingStor™	160	960 x 985 x 1575	900 x 900 x 1290
FC6	FittingStor <sup>™</sup>	123	1077 x 775 x 1880	880 x 709 x 1592

The mobile secure storage trunk that keeps your piping safe and organised

armorgard

This innovatively designed portable 'copper coffin' gives you peace of mind that your piping is safe from theft. The PipeStor™ accommodates different sizes and styles of pipes, including plastic and metal conduit, trunking and cable tray.

to accommodate longer lengths by adding sections as required.

Extremely versatile - it can be extended

pipestor™ FACILITY FOR INTERNALLY DIVIDED INTO 4 SEPARATE COMPARTMENTS ROBUST STEEL PLATE CONSTRUCTION FOR MAXIMUM SECURED WITH A 5-LEVER DEADLOCK AVAILABLE FOR EITHER 3M OR 6M LENGTHS FULLY MOBILE POWDER COATED FOR MAXIMUM DURABILITY FORK SKIDS FOR EASY TRANSPORTATION

**>>>** 

For on-site solutions, call our customer experience team on 023 9238 0280 or email sales@armorgard.co.uk

Product Code	Description	Weight (kg)	External Dimensions W x D x H (mm)	Internal Dimensions W x D x H (mm)
PS3.0	3m PipeStor™	133	575 x 3205 x 785	495 x 3160 x 495
PS6.0	6m PipeStor™	256	575 x 6410 x 785	495 x 6350 x 495

Note: Weights and dimensions are approximate. External dimensions include handles.

and fork-liftable crate for storing and transporting goods and equipment

A multi-purpose crane Created for the rail industry, but useful for any site or depot, the **TuffCrate™** is designed to hold stress testing kits, but the large capacity means it can be used to store a wide range of equipment, tools and materials.





External Dimensions W x D x H (mm) Internal Dimensions W x D x H (mm) Product Code Description Weight (kg) 1875 x 935 x 1100 TuffCrate<sup>T</sup> 1800 x 800 x 845

Note: Weights and dimensions are approximate. External dimensions include handles.

33



>> "STRONG, SECURE AND STURDY. I WOULD CERTAINLY RECOMMEND IT"






## **>>** FORMA-STOR™ ACCESSORIES









LED LIGHTING

HEAVY-DUTY RAMP





For on-site solutions, call our customer experience team on **023 9238 0280** or email **sales@armorgard.co.uk** 

Individual Panel Weight (kg)	End Panel	Door Panel	Side Panel	Roof Panel	Floor	Total
FR100-T	55.9	75.8	20.7	32.6	57.5	251
FR200-T	55.9	75.8	52.9	52.9	112.3	384
FR300-T	55.9	75.8	69.1	75.8	143	467
FR400-T	55.9	75.8	114	95.2	186	594

Product Code	Description	Weight (kg)	External Dimensions (including protrusions) W x D x H (mm)	Internal Dimensions W x D x H (mm)
FR100-T	Forma-Stor <sup>™</sup>	251	2075 x 1120 x 2160	1920 x 970 x 1950
FR200-T	Forma-Stor <sup>™</sup>	384	2075 x 2075 x 2160	1920 x1920 x 1950
FR300-T	Forma-Stor <sup>™</sup>	467	2075 x 2990 x 2160	1920 x 2840 x 1950
FR400-T	Forma-Stor <sup>™</sup>	594	2075 x 3995 x 2160	1920 x 3840 x 1950
FRS2	Forma-Stor <sup>™</sup> Shelf	20	1970 x 520 x 30	N/A
FRBL2	BlokkaBar	23	1960 x 170 x 110	N/A
FRR4	Forma-Stor <sup>™</sup> Ramp	37	1185 x 750 x 100-195	N/A
FRLK1	110V Forma-Stor™ Lighting Kit	5	N/A	N/A
FRLK2	230V Forma-Stor™ Lighting Kit	5	N/A	N/A

secure vault for storing strimmers and other long handled tools

armorgard

storage range specially designed for strimmers and similar long-handled tools. Suitable for use in vehicles or workshops, this highly secure vault benefits from an ultra-tough, anti-force construction and an innovative heavy-duty locking mechanism - once the lid is shut and locked, the strimmer is impossible to remove.


The ultra-tough The StrimmerSafe Vault™ is a secure strimmersafe

upright storage system for securing your strimmers

The unique Strimmers are among the most commonly stolen power tools. The **StrimmerSafe** Rack™ is packed full of features to keep your equipment secure and organised whilst maximising on storage space.

## armorgard

# strimmersafe rack™




DEADLOCKS WITH HEAVY-DUTY CHUBB STYLE KEYS

LID IS FITTED WITH 2 GAS



WALL TO ENSURE SAFETY

AND GREENKEEPERS




Product Code	Description	Weight (kg)	External Dimensions W x D x H (mm)	Internal Dimensions W x D x H (mm)
SSR	StrimmerSafe Rack <sup>™</sup>	93	2055 x 365 x 2085	N/A

**vault** KEYED ALIKE 5-LEVER DEADLOCKS COATED FINISH FOR MAXIMUM CONSTRUCTION FROM DIVIDER SYSTEM HEAVY-DUTY STEEL (EXCEPT THE PLATE THROUGHOUT DURABILITY STRONG GAS STRUTS FITTED AS STANDARD - CONFORM TO INDUSTRY STANDARDS AVAILABLE IN 3 DIFFERENT SIZES armorgard SNUG STORAGE POSITION KEEPS STRIMMERS SECURE FULL-LENGTH COVER ORKLIFT SKIDS DOUBLE SLOTS PLATE FOR USE WHEN FOR EASY FOR STORING 1 OR TRANSPORTATION STRIMMERS ARE NOT 2 STRIMMERS BEING STORED 665mm

Product Code	Description	Weight (kg)	External Dimensions W x D x H (mm)	Internal Dimensions W x D x H (mm)
SSV12	StrimmerSafe Vault™	69	1275 x 515 x 450	1190 x 445 x 445
SSVX6	StrimmerSafe Vault™	63	1800 x 555 x 445	1710 x 480 x 440
SSV6	StrimmerSafe Vault™	141	1970 x 675 x 665	1880 x 605 x 580

Note: Weights and dimensions are approximate. External dimensions include handles.









## **SECTION 02**

### Work platforms and units

nstagate <sup>™</sup>	42
parricade™	44
uffbench™	45
nobile tuffbench™	46
euttingstation™	48
itestation™	52
***************************************	

for crowd/traffic control in any location


An expandable barrier InstaGate™ is a quick-to-deploy barrier that's robust and easy to extend to full length. Constructed from strong lightweight aluminium, this durable barrier can be wheeled into position, expanded and braked single-handedly. InstaGate<sup>™</sup> forms a highly visible red and white barrier for enhanced safety in any situation, indoors or out.


> **InstaGate**<sup>™</sup> is available in two heights (4ft and 6ft).

# armorgard instagate™



WATCH THE





## INSTAGATE™ ACCESSORIES







ANCHOR KIT - SAFELY FIX YOUR INSTAGATE™ TO A FLAT SURFACE






<b>&gt;&gt;&gt;</b>
WATCH THE
<b>ACCESSORIES</b>
IN ACTION

Product Code	Description	Weight (kg)	Folded Dimensions W x D x H (mm)	Extended Dimensions W x D x H (mm)	
IG4	InstaGate™	30	440 x 540 x 1380	2185 x 540 x 1380	
IG6	InstaGate™	40	450 x 542 x 1884	2380 x 542 x 1884	

42

The expandable The Barricade™ is a concertina barrier, safety barrier designed to clearly mark out a working area. It is extendable up to 4 meters and finished in a powder coat to maximise durability. The unique safety catch holds the barrier together when in the folded back position, making it easier and safer to carry.

## armorgard **barricade**<sup>TM</sup>



Product Code	Description	Weight (kg)	Folded Dimensions W x D x H (mm)	Extended Dimensions W x D x H (mm)
BAR1	Barricade <sup>™</sup>	25	450 x 300 x 950	4000 x 300 x 950

easy-to-use mobile work platform from Armorgard

The versatile and The TuffBench™ heavy-duty folding work platform is a versatile workbench designed for contractors on the move and for use on construction sites. Its quick and easy assembly system - with no detachable parts - makes it easy to transport and store. When it's time to move on, simply collapse the platform, fold the legs and you're ready to go! Durable and built to last, the surface is manufactured from sustainable pressed timber.

## armorgard tuffbench™









IDEAL FOR FITTING A

CHAIN VICE AND ENGINEER'S VICE TO

Product Code	Description	Weight (kg)	External Dimensions W x D x H (mm)	Folded Down Dimensions W x D x H (mm)
BH1080	TuffBench <sup>™</sup>	28	1080 x 750 x 820	1080 x 750 x 130
BH1080-HW	TuffBench™with Handle and Wheel Kit	31	1080 x 750 x 820	1080 x 750 x 130
BH1080-VWK	TuffBench <sup>™</sup> + c/w Wheels, Handle, Chain Vice and Engineer's Vice	58	1165 x 870 x 1005	1165 x 870 x 315
EV6	6" Engineer's Vice	22	N/A	N/A
CV4	4" Chain Vice	5	N/A	N/A
BH1080-H	Handle and Wheel Kit for TuffBench $^{^{\text{\tiny TM}}}$	3	N/A	N/A

Note: Weights and dimensions approximate. External dimensions include handles.

The universal mobile Use the Armorgard Mobile TuffBench™ for workbench that's also a day and you'll wonder how you ever got by without it. A combination of heavy-duty storage cabinet and multi-purpose work surface, this innovative workbench makes any job that bit easier, while ensuring that your tools and equipment remain safe from thieves and damage. Its ultra-tough surface is ideal for fixing a chain vice, engineer's vice and other equipment, making it indispensable for M&E contractors when pipe threading and bending.

armorgard

a heavy-duty cabinet!



armorgard


BH1270M

HANDLES FITTED TO EACH END OF

SOLID WOODEN TOP. CAN BE REMOVED TO EXPOSE A METAL WORK SURFACE

SECURE LOCKABLE TOOL CABINET SECTION BENEATH WORKBENCH

POWDER COATED FOR MAXIMUM DURABILITY



FITTED WITH EXTRA HEAVY-DUTY WHEELS - QUICK AND EASY TO MAN FITTED WITH 5-LEVER DEADLOCK - WITH INTERNAL ANTI-JEMMY SYSTEM FOR MAXIMUM

FORKLIFT SKIDS TRANSPORTATION









6" ENGINEER'S VICE



4" CHAIN VICE



Product Code	Description	Weight (kg)	External Dimensions W x D x H (mm)	Internal Dimensions W x D x H (mm)
BH1270M	Mobile TuffBench <sup>™</sup>	78	1120 x 705 x 920	990 x 630 x 640
BH1270-VF	Mobile TuffBench <sup>™</sup> with Vices Fitted	125	1200 x 705 x 940	990 x 630 x 640

A go-anywhere, multi-purpose cutting station with unrivalled safety features to minimise vibration, sparks, noise and dust

Our ever-popular Armorgard **CuttingStation**™ is a neat, mobile workstation that eliminates the need for a separate cutting room and is essential for safely cutting lengths of material, such as conduit, timber, cable tray and pipe. The SS7 model includes lighting and chamfered corners to further reduce noise. You'll also find a new expandable working area to accommodate mitre saws and cutaway sides for handling longer materials.

Design Registration

armorgard

# **cuttingstation**<sup>™</sup>





## **>>**

#### OPTIONAL EXTRAS



**cuttingstation**<sup>™</sup>

SSTC UNIVERSAL CLAMP HOLDS ELECTRIC SAWS IN PLACE TO IMPROVE HEALTH AND SAFETY. COMPATIBLE WITH SST AND SSTX



armorgard

50

HEAVY-DUTY ALL-SWIVEL WHEELS FOR GOOD MOBILITY

For on-site solutions, call our customer experience team on **023 9238 0280** or email **sales@armorgard.co.uk** 



## THE 4 CONFIGURATIONS OF THE EXTENDABLE SUPPORT ARMS



FLAT SURFACE IDEAL FOR LONG LENGTHS



ROLLER SURFACE IDEAL FOR LONG



V-SHAPE IDEAL FOR ROUND PIPES



FLAT EDGE IDEAL FOR LONG LENGTHS

Product Code	Description	Weight (kg)	External Dimensions W x D x H (mm)	Internal Dimensions W x D x H (mm)
SS7	CuttingStation <sup>™</sup>	175	Standard: 1390 x 780 x 1900 Extended: 3225 x 1090 x 1900	Top (with extended back): 1125 x 955 x 1000 Bottom: 1125 x 710 x 550
SS7X	CuttingStation <sup>™</sup> with Extraction System	200	Standard: 1390 x 780 x 1900 Extended: 3225 x 1090 x 1900	Top (with extended back): 1125 x 955 x 1000 Bottom: 1125 x 710 x 550
SS7C	CuttingStation™ Clamp	4	30 x 1000 x 550	N/A

Note: Weights and dimensions are approximate. External dimensions include handles.

### solution for your on-site work station needs

A purpose-built The innovatively designed Armorgard SiteStation™ gives you a convenient place for routine on-site tasks, while also providing secure storage for your valuable equipment. The top section features a folding slanted work surface - ideal for displaying plans and charts – that provides additional lockable storage when shut – ideal for power tools, PPE and fixings.

## armorgard sitestation<sup>™</sup>



#### >> MOBILE ON-SITE OFFICE



Product Code	Description	Weight (kg)	External Dimensions W x D x H (mm)	Internal Dimensions W x D x H (mm)
SS2	SiteStation <sup>™</sup>	223	1400 x 845 x 1970	Top: 1300 x 800 x 1065 Bottom: 1300 x 800 x 610









## **SECTION 03**

## Welfare products

scrubkart <sup>™</sup>	56
sanistation™ S40	58
sanistation mini™	60
sanistation™ S20	62
forma-shelta <sup>™</sup>	63

The mobile instant warm water hand washing unit, purpose built for sites

Take sanitising to the next level with ScrubKart™, our mobile hot or cold hand washing unit. With instant warm water by your side, a heavy-duty steel construction and robust solid rubber puncture-proof tyres to take on rougher terrains, it is a solution that is built to last.

Patent pending





WATCH THE SCRUBKART™

HANDS-FREE FOOT-OPERATED BIN

MAINS FED OPTION AVAILABLE ON REQUEST


Product Code	Description	Weight (kg)	External Dimensions W x D x H (mm)	Internal Dimensions W x D x H (mm)
SBK1T	ScrubKart <sup>™</sup> 110V Tank Fed	120	790 x 870 x 1450	N/A
SBK2T	ScrubKart <sup>™</sup> 240V Tank Fed	120	790 x 870 x 1450	N/A
SBK3T	ScrubKart <sup>™</sup> Tank Fed Cold Water	120	790 x 870 x 1450	N/A

FOOT PUMP OPERATED TAP



SOLID RUBBER TYRES EASILY MANOEUVRED BY ONE INDIVIDUAL





immediate deployment of a central sanitising and noticeboard station

Unique solution for the Heavy-duty castors make the SaniStation™ a completely mobile unit that can provide relevant welfare where it's needed most. With its double-sided board, it is completely customisable for sanitising products, first aid, fire safety, and health and safety. The ultimate purpose-built on-site solution.

## armorgard sanistation™







ALCOHOL-FREE HAND SANITISER GEL AND WIPES



MANUAL AND AUTOMATIC DISPENSERS



SECURE LOCKABLE CABINET



HEAVY-DUTY CASTORS FOR EASY RELOCATION

Product Code	Description	Weight (kg)	External Dimensions W x D x H (mm)	Internal Dimensions W x D x H (mm)
S40	SaniStation™	72	1235 x 500 x 1850	N/A
S40C	SaniStation™Cabinet	28	950 x 445 x 605	940 x 425 x 600

61

stations for internal high-traffic environments

Robust hand sanitiser There's a SaniStation Mini™ for every need, whether you're looking for a hands-free unit, a simple stand or a wall-mounted option.

armorgard sanistation mini

60

With an anti-theft system fitted as standard and a low dosage pump to reduce spillage, you can rest assured that the SaniStation Mini™ will deliver every time when it comes to protecting welfare.







Description	Weight (kg)	External Dimensions W x D x H (mm)	Internal Dimensions W x D x H (mm)
SaniStation Mini <sup>™</sup> Hands Free	15	155 x 275 x 1015 (Base Plate: 400 x 325)	N/A
SaniStation Mini <sup>™</sup> Standard	12	200 x 1000 (Base Plate: 400mm)	N/A
SaniStation Mini <sup>™</sup> Wall Mounted	2	200 x 240	N/A
Wall-Mounted Bucket Holder	1	248 x 243 x 114mm	Ø205mm
	SaniStation Mini <sup>™</sup> Hands Free  SaniStation Mini <sup>™</sup> Standard  SaniStation Mini <sup>™</sup> Wall Mounted	SaniStation Mini™ Hands Free 15  SaniStation Mini™ Standard 12  SaniStation Mini™ Wall Mounted 2	W x D x H (mm)         SaniStation Mini™ Hands Free       15       155 x 275 x 1015 (Base Plate: 400 x 325)         SaniStation Mini™ Standard       12       200 x 1000 (Base Plate: 400mm)         SaniStation Mini™ Wall Mounted       2       200 x 240

immediate deployment of a central sanitising and noticeboard station

armorgard

Unique solution for the Heavy-duty castors make the SaniStation™ a completely mobile unit that can provide relevant welfare where it's needed most. With its double-sided board, it is completely customisable for sanitising products, first aid, fire safety, and health and safety. The ultimate purpose-built on-site solution.

A purpose-built shelter, providing a designated, safe area with protection from the elements


The flat-packed design of the Forma-Shelta™ means it can be constructed where needed in as little as 10 minutes. Coupled with crane lifting eyes and fork pockets for ease of transportation.

The perfect solution for contractors searching for a sturdy, built-to-last unit that encourages users to stay in designated areas only when choosing to smoke/vape.





External Dimensions W x D x H (mm) Product Code Description Weight (kg) Internal Dimensions W x D x H (mm) SaniStation™ 700 x 600 x 1725



Internal Dimensions W x D x H (mm) External Dimensions W x D x H (mm) Product Code Description Weight (kg) FR200-S Forma-Shelta<sup>11</sup> 2110 x 2235 x 2125 1930 x 1755 x 1885





# SECTION 04 MANUAL HANDLING PRODUCTS





## **SECTION 04**

## Manual handling products

piperack <sup>™</sup>	66
bundlerack <sup>™</sup>	70
loadall <sup>™</sup>	71
rubble truck <sup>™</sup>	76
flexikart™	78
v-kart <sup>™</sup>	80
beamkart™	80
turntable truck™	81



mobile on-site pipe and conduit storage solution

The adaptable The Armorgard PipeRack™ is an innovatively designed wheeled storage rack that keeps your pipes organised and easy to manoeuvre whilst working on-site. Each unit has been tested and certified to guarantee a top-quality product that is durable and built to last. The fully collapsible design means that it can be easily transported and stored when not in use. PipeRack<sup>™</sup> is available with either a 1 tonne or 2 tonne capacity.

# armorgard piperack™









STRONG ATTACHABLE SAFETY HANDLE



LINKING KIT TO JOIN
THE TWO PIPERACK™
TOGETHER (PRLK)



UPGRADE KIT FROM 1 TONNE TO 2 TONNE CAPACITY (PRUK)



CASTOR DIRECTION LOCK ADAPTORS (LDLF)

Product Code	Description	Weight (kg)	External Dimensions W x D x H (mm)	Folded Down Dimensions W x D x H (mm)	Weight Loading
PR1	PipeRack <sup>™</sup>	83	1010 x 1565 x 1570	1010 x 1565 x 550	1 Tonne
PR2	PipeRack <sup>™</sup>	101	1010 x 1565 x 1570	1010 x 1565 x 550	2 Tonne
PRSH	PipeRack <sup>™</sup> Handle	0.6	94 x 165 x 90	N/A	N/A
PRLK	PipeRacK <sup>™</sup> Linking Kit	15	N/A	N/A	N/A
PRUK	PipeRack <sup>™</sup> Upgrade Kit	20	N/A	N/A	N/A

easy transport and storage of large bundles of materials

The mobile rack for The Armorgard BundleRack™ is a simple and effective means of transporting and storing large bundles of materials. It allows you to organise your materials on-site to optimise space, while ensuring they are quick and easy to move when needed. Designed to a high-quality, heavy-duty specification with a powder-coated finish, **BundleRack**™ is built to last. The unit can be folded and stacked for easy storage when not in use.

The unique space-saving trolley for transporting large sheets of board

armorgard

**loadali** 

**LA750** 

Save space, make handling easier and protect your materials from damage using **LoadAll™ LA750**. Whether in the yard or on-site, transporting large sheets of board has never been easier. Specially designed for storing and transporting plasterboard and other large sheet materials.

## armorgard bundlerack™



Product Code	Description	Weight (kg)	External Dimensions W x D x H (mm)	Folded Down Dimensions W x D x H (mm)	Weight Loading
BR1	BundleRack™	79	1005 x 1560 x 1010	1005 x 1560 x 550	1 Tonne

MANUAL HANDLING PRODUCTS ROBUST CONSTRUCTION USING 3MM STEEL SIDE LOADING FACILITY WITH EASY-GRAB HANDLES H-FRAME DESIGN FOR EASE OF TRANSPORTING THROUGH DOORWAYS AND NARROW SPACES HEAVY-DUTY CASTORS SUPPLIED AS STANDARD - ALL SWIVEL WHEELS



The unique space-saving trolley for transporting large sheets of board

g Save space, ease manual handling and protect your materials with the LoadAll™ LA750-PRO. The combination of the H-frame design and innovative clamping system with the swivel wheels and telescopic handle make the LA750-Pro easy to manoeuvre when carrying a full load of sheet materials through doorways and around corners.

Parmorgard loadall LA750-PRO



The unique space-saving trolley for transporting large sheets of board

LoadAll™ LA1000 is the only trolley of its kind on the UK market that can be folded and stacked when not in use. It also has no detachable parts! Its A-frame design allows it to be loaded on both sides maximising its space-saving efficiencies.

A unique space-saving trolley for transporting large sheets of material

Ease manual handling, save space and protect your materials from damage with the **LA1500**. Specially designed for storing and transporting large sheet materials. The wooden slats make it a great option for moving large sheets of glass too.

# ↑armorgard loadall LA1000



# Parmorgard loadall LA1500



Folded Down Dimensions W x D x H (mm) Product Code External Dimensions W x D x H (mm) Description Weight (kg) Weight Loading LA750 550 x 1350 x 1130 550 x 1350 x 300 750kg LoadAll<sup>Th</sup> 41 750kg 49 730 x 1250 x 1410 730 x 1250 x 495 LA1000 1 tonne LoadAll 1 Tonne LA1500 125 900 x 2020 x 1550 N/A 1.5 Tonne 1.5 tonne LoadAll 750kg LoadAll<sup>™</sup> with Clamp 1705 x 550 x 1305 Extended: 2305 x 550 x 1805 LA750-PRO 70 N/A 750kg

Rubble Truck™ features an in-built tipping feature, ideal for handling waste and rubble

Our multi-purpose Ergonomically designed for maximum performance and efficiency, the Rubble Truck™ has an array of unique features to create an indispensable on-site companion. Our multi-purpose **Rubble Truck**™ features a huge 400 litre capacity scoop, extra strength crane lifting eyes, and solid rubber wheels. When the day's over, the unique stackable design means you can maintain a working space that's safe and clutter free.

# armorgard rubble truck<sup>™</sup>





HEAPED LID TO
PREVENT ITEMS INSIDE
FALLING OUT. INCREASES
LOAD CAPACITY BY UP TO 160L


Product Code	Description	Weight (kg)	External Dimensions W x D x H (mm)	Internal Dimensions W x D x H (mm)	Weight Loading
RT400	Rubble Truck <sup>™</sup>	88.5	760 x 1460 x 855	675 x 1330 x 650	750kg
RTHL	Rubble Truck <sup>™</sup> Lid	19	260 x 770 x 1405	210 x 580 x 1400	N/A

77

space-saving, stackable, sturdy and ergonomically friendly unit

A multi-purpose, Mobilise your materials with the Flexikart™, a safe, multi-purpose folding pallet skate. With a 750kg load capacity, this super-neat and sturdy trolley is ideal for storing materials off the ground and moving them around on-site, even through narrow corridors and doorways.

# armorgard **flexikart**<sup>™</sup>




1270 x 755 x 1010

1270 x 755 x 395



FlexiKart™



Note: Weights and dimensions are approximate. External dimensions include handles.

heavy-duty kart, ideal for handling long lengths of material

Designed to be a The BeamKart™ is designed for the effortless transportation of beams and steels. Robust enough for life on-site. yet nimble enough to quickly become an essential for the everyday movement of heavy and bulky items. The BeamKart™ boasts puncture-proof solid rubber tyres, is available in two sizes, and is finished to the standards you've come to expect from Armorgard.

armorgard beamkart™

> POWDER-COATED FINISH FOR MAXIMUM DURABILITY BK2 HAS NO UPRIGHT SIDES. ENABLES HANDLING OF WIDER MATERIALS **500** PUNCTURE-PROOF TYRES CONSTRUCTION USING 3MM STEEL FOR EASY AND SAFE MANOEUVRING ON-SITE

Product Code	Description	Weight (kg)	External Dimensions W x D x H (mm)	Internal Dimensions W x D x H (mm)	Weight Loading
BK1	BeamKart™	20	560 x 510 x 250	345mm between lugs	500kg
BK2	BeamKart™	27	400 x 510 x 275	N/A	500kg

quantities of material and equipment

For transporting bulk Our Turntable Truck™ has been engineered to take the full strain of transporting bulk quantities of material and equipment when you really need it, reducing the physical impact for workers on construction sites.

## armorgard

# turntable truck



External Handle Down Dimensions External Handle Folded Back Dimensions Weight Loading 690 x 2540 x 460 690 x 1560 x 770 1000kg

DEADMAN BRAKE SYSTEM









## **SECTION 05**

## Hazardous goods storage

A guide to storing hazardous substances	84
flambank™	86
flamstor cabinet™	
transbank™	92
transbank chem <sup>™</sup>	
chembank <sup>™</sup>	
chemcube cabinet™	
safestor™	98
forma-stor COSHH™	100
flamstor™	.104
tuffcage™	106
drumcage™	
gorilla gas cage <sup>™</sup>	
drumbank™	110



## A guide to storing hazardous substances



#### Storing fuel and other flammable substances

If you are storing fuels or chemicals, there are laws that you have to comply with. By applying the following five 'VICES' principles you will be well on the way to making sure that you are working safely with flammable substances and chemicals.

We stock a unique range of flammable and chemical storage products to ensure that you can be compliant.

**Ventilation** – Is there plenty of fresh air where flammable substances are being stored and used?

**Ignition** – Have all the obvious ignition sources been removed from the storage and handling areas?

**Containment** – Are your flammable substances kept in suitable containers?

**Exchange** – Can you exchange a flammable substance for a less flammable substance?

**Separation** – Are flammable substances stored and used well away from other process and storage areas?

Flammable liquids can give off large volumes of flammable vapours at room temperature. These vapours, when mixed with air, can ignite, often violently. Spilt flammable liquids can, if not contained, flow a long way to an ignition source and then flashback to the source of the leak. Spills on clothing can represent a serious risk of injury if ignited.

To help control these risks:

- Store flammable liquids in a separate storage area or in a purpose-made bin or cupboard.
- Dispense and use them in a safe place where there is good ventilation and no source of ignition.
- Keep containers closed when not in use.
- Always dispense liquids over a tray and keep a non-flammable spill kit to hand.
- Dispose of contaminated materials safely or call in disposal experts.
- Always keep an adequate number of fire extinguishers to hand.

All storage cabinets must be designed to retain spills (110% volume of the largest vessel normally stored in it or 25% of the total amount stored, whichever is the greater). All flammable liquids must be stored in closed containers and kept in a store which is manufactured from materials that will resist fire for 30 minutes.

#### Storing pesticides and other chemicals

Location – position your store well away from areas that present a risk of fire.

Organising – mark the exterior of the store with general chemical danger warning signs.

Construction – provide a store that is resistant to fire for 30 minutes, capable of retaining leakage/spillage adequately ventilated and secure against unauthorised

#### Transporting pesticides and other chemicals

Pesticides or other chemicals should never be kept in a vehicle for long periods of time – maximum time would be a 24 hour period.

Never carry pesticides or other chemicals in the cab of tractors or any other vehicles. Use a vehicle with a floor to ceiling bulkhead if possible, between the driver/ passenger compartment and the load compartment.

All chemicals must be strapped or secure somehow during transit. It is highly recommended to fit secure containers/cabinets to the vehicle, either inside or securely mounted to the outside or on a trailer. Chemical safes must be sturdy, lockable and fixed down to the vehicle. Ventilation is not necessary.

When away from your fixed store, pesticides must always be secure against unauthorised access. Park your mobile store away from any location where water pollution could occur.

Try to work within sight of your mobile store, especially in public areas. Always ensure the cabinet or vehicle is locked.

The driver must have access in the vehicle to PPE, spillage kit, first aid (including eyewash), and also spare impermeable sealable containers in which to place split containers and any other contaminated material







#### Transporting fuel and other flammable substances

The purpose of the regulations dealing with the carriage of dangerous goods is to protect everyone either directly involved or who might become involved, such as members of the emergency services or public. Regulations place duties on everyone involved in the carriage of dangerous goods to ensure that they know what they have to do to minimise the risk of incidents and guarantee an effective response.

Regulations regarding purchasing, transporting and storing fuel are becoming much more stringent. The following guidelines are for businesses transporting flammables.

#### Filling up containers at petrol stations

All petrol stations are under licence to supply fuel, very similar to alcohol licence. If they are caught breaching these licences they could lose their right to supply fuel. By law, the only type of can which can be filled up is one approved to UN1203. Most petrol stations have restrictions in place now that prevent more than 2 cans being filled in one visit. Typical containers purchased from car accessory shops may not be so approved.

#### Transporting fuel in approved containers

Ensure that you do not carry over the maximum allowed by law without having an ADR licence. This is 333 litres, but HSE will always look at the amount you should have 'reasonably been carrying' if you are involved in an accident. A typical case of transporting fuel would be with 2 or 3 jerry cans. Providing those cans are UN approved, marked UN1203 and labelled with the flammable diamond, the only requirements by law are:

- Driver training in accordance with ADR1.3.
- · Carry 2kg fire extinguisher.
- Stow the jerry cans securely to avoid damage or loss from the vehicle.

The HSE class vans as 'workplaces' during the working day. If a vehicle is involved in an accident, not only do the above regulations come into force but also The Health

and Safety at Work Act. This involves safe storage of the fuel cans and requires that they are stored in secure lockable vented containers.

There is also the risk of spillage of goods, which could lead to fire, explosion or environmental damage. It is highly recommended that an absorbent spill kit is kept onboard every vehicle carrying any form of dangerous

Fire extinguishers are the subject of conditions from HSE also. They must be easily accessible to the vehicle crew and protected against the effects of the weather.

#### How Armorgard calculate the sump capacity

The sump capacity on all Armorgard products is calculated by the maximum amount of liquid that can be contained within the liquid-tight space in the base of a

#### Disclaimer

The storage of chemicals, flammable substances and gases is the subject of many regulations. Some substances must be stored outside away from buildings. Others can be stored inside but are sometimes subjected to quantity limits. We would always recommend that you should seek the advice of the Health and Safety Inspectorate, your local fire officer, Trading Standards Office or any other qualified body. Armorgard are not advisors as to where goods shall be stored and can take no liability for any storage situation.

All information can be found at www.hse.gov.uk or by calling HSE's information line.

The ultra-tough, lockable vault for storing hazardous chemicals and flammables

Built to the same high specification as our renowned **TuffBank™** range, the Armorgard FlamBank™ is specially designed to comply with all COSHH regulations, ensuring that your hazardous substances are securely protected 24/7. Available in 7 sizes, the FlamBank™ is ideal for use on construction sites, in factories and vehicles.

armorgard



HEAVY-DUTY CASTORS INCREASE MOVABILITY
ON-SITE

SUITABLE FOR FLAMMABLES OR CHEMICALS

arm

# armorgard flambank™





Product Code	Description	Weight (kg)	External Dimensions W x D x H (mm)	Internal Dimensions W x D x H (mm)	Sump Capacity (L)
FB1	Van Box	46	980 x 540 x 475	895 x 470 x 465	60
FB21	Site Box	64	765 x 675 x 670	675 × 605 × 575	40
FB2	Site Box 4x2x2	82	1275 x 665 x 660	1185 x 600 x 575	85
FBC2	Site Chest	107	765 x 675 x 1270	675 × 605 × 1185	50
FBC4	Site Chest 4x4x2	153	1275 x 675 x 1270	1185 x 605 x 1185	85
FBC5	Site Chest 5x4x2	174	1585 x 675 x 1275	1500 x 605 x 1185	110
FBC8	Site Chest	334	2370 x 985 x 1220	2350 x 895 x 1130	250

91

that keeps your hazardous substances safe, organised and accessible

The secure storage cabinet The Flamstor Cabinet™ is built to the same exacting specification as our popular TuffStor Cabinet™ but with the addition of specially designed flameproof vents to prevent the build-up of fumes. Complies with all COSHH regulations, ensuring that your hazardous substances are kept safe, accessible and secure.

> BUILT TO SPECIFICATION 30 MINUTES OF FIRE RESISTANCE

armorgard

# flamstor cabinet



GAUZE FITTED ON ALL VENTILATION

SHELVES (ONLY ON FSC1, FSC2 AND FSC3)





SAFE STORAGE OF ALCOHOL BASED PRODUCTS





980mm 1250mm	155	5mm 1560	2300mm	
FSC1	FSC2	FSC3	FSC4	FSC5

Description	Weight (kg)	External Dimensions W x D x H (mm)	Internal Dimensions W x D x H (mm)	Sump Capacity (L)
FlamStor Cabinet <sup>™</sup>	45	500 x 530 x 980	490 x 465 x 895	40
FlamStor Cabinet <sup>™</sup>	74	800 x 585 x 1250	790 x 540 x 1170	115
FlamStor Cabinet <sup>™</sup>	111	1205 x 580 x 1555	1185 x 510 x 1475	130
FlamStor Cabinet <sup>™</sup>	170	1350 x 780 x 1560	1340 x 695 x 1260	190
FlamStor Cabinet <sup>™</sup>	500	2500 x 750 x 2300	2420 x 650 x 2000	300
	FlamStor Cabinet <sup>™</sup> FlamStor Cabinet <sup>™</sup> FlamStor Cabinet <sup>™</sup> FlamStor Cabinet <sup>™</sup>	FlamStor Cabinet <sup>™</sup> 45 FlamStor Cabinet <sup>™</sup> 74 FlamStor Cabinet <sup>™</sup> 111 FlamStor Cabinet <sup>™</sup> 170	W x D x H (mm)         FlamStor Cabinet™       45       500 x 530 x 980         FlamStor Cabinet™       74       800 x 585 x 1250         FlamStor Cabinet™       111       1205 x 580 x 1555         FlamStor Cabinet™       170       1350 x 780 x 1560	W x D x H (mm)       W x D x H (mm)         FlamStor Cabinet™       45       500 x 530 x 980       490 x 465 x 895         FlamStor Cabinet™       74       800 x 585 x 1250       790 x 540 x 1170         FlamStor Cabinet™       111       1205 x 580 x 1555       1185 x 510 x 1475         FlamStor Cabinet™       170       1350 x 780 x 1560       1340 x 695 x 1260

Note: Weights and dimensions are approximate. External dimensions include handles.

90

The cost-effective COSHH regulations require that fuels and chemicals are transported and stored in a secure, lockable container. The Armorgard **TransBank**<sup>™</sup> is purpose-built for exactly that, while protecting them from theft, fire and leakage. Constructed from heavy-duty steel plate, this high-quality, secure container accommodates standard jerry fuel cans and is equally suitable for use as a chemical safe.

# armorgard transbank™





External Dimensions W x D x H (mm) Internal Dimensions W x D x H (mm) Product Code Description Weight (kg) Sump Capacity (L) TRB1 430 x 415 x 365 345 x 345 x 335 TransBank TRB2 TransBank<sup>1</sup> 530 x 485 x 540 445 x 415 x 510 20 620 x 415 x 510 TRB3 705 x 485 x 540 TransBank<sup>T</sup> 24 TRB4 TransBank<sup>™</sup> 28 880 x 485 x 540 790 x 415 x 510 70 1110 x 415 x 510 1195 x 485 x 540 90 TransBank<sup>1</sup>

TRB4

volumes of chemicals

The safe vault for storage COSHH regulations require that anyone and transportation of smaller using chemicals must store them safely in a lockable container. The TransBank Chem™ has been specially designed to comply with all legislation regarding the storage of chemicals, both in vehicles and in fixed locations. To maximise internal space, vaults are built to accommodate a range of standard sized chemical cans.

armorgard

# transbank chem







Product Code	Description	Weight (kg)	External Dimensions W x D x H (mm)	Internal Dimensions W x D x H (mm)	Sump Capacity (L)
TRB1C	TransBank Chem <sup>™</sup>	13	430 x 415 x 365	345 x 345 x 335	15
TRB2C	TransBank Chem <sup>™</sup>	20	530 x 485 x 540	445 x 415 x 510	35
TRB4C	TransBank Chem <sup>™</sup>	28	880 x 485 x 540	790 x 415 x 510	70

lockable vault for the safe storage of chemicals

chemical substances, the ChemBank™ conforms to all relevant COSHH requirements. The tough welded construction delivers maximum protection from thieves and the elements, while its distinctive bright yellow colour and signage make it easy to distinguish between fuel and chemical stores - a particular benefit for sites with multi-national workforces.

or email sales@armorgard.co.uk

The high security Purpose-built for the safe storage of

# armorgard **chembank**<sup>™</sup>



Product Code	Description	Weight (kg)	External Dimensions W x D x H (mm)	Internal Dimensions W x D x H (mm)	Sump Capacity (L)
CB2	Site Box 4x2x2	86	1275 x 665 x 660	1185 x 600 x 575	85
CBC4	Site Chest 4x4x2	150	1275 x 675 x 1270	1185 x 605 x 1185	85

The leak-proof, lockable cabinet that keeps your chemicals safe and accessible

Available in three sizes, the Armorgard Chemcube Cabinet™ is purpose built to keep your chemicals safe and accessible. For extra convenience, the smallest size is also wall-mountable.

## armorgard

# chemcube **cabinet**





Product Code	Description	Weight (kg)	External Dimensions W x D x H (mm)	Internal Dimensions $W \times D \times H$ (mm)	Sump Capacity (L)
CCC1	ChemCube Cabinet™	15	575 x 440 x 910	515 x 385 x 900	16
CCC2	ChemCube Cabinet™	27	695 x 515 x 1310	660 x 450 x 1260	60
CCC3	ChemCube Cabinet™	47	1220 x 520 x 1310	1050 x 450 x 1050	125

Note: Weights and dimensions are approximate. External dimensions include handles.

TRANSPORTATION

VIA FORKLIFT

The medium-duty hazardous substance cabinet that complies with all COSHH regulations

The **SafeStor™** is purpose-built for the indoor safe storage of flammables and chemicals, including paint and other hazardous substances. Fully compliant with all legislation relating to the Control of Substances Hazardous to Health (COSHH), this range of cabinets features a liquid-tight sump to contain spillages, as well as galvanised shelves for maximum durability.

# **Narmorgard Safestor**™







Forma-Stor COSHH™ is our innovative modular solution for on-site secure storage. Flat-packed Forma-Stor COSHH™ units can be constructed in around 10 minutes with very few tools and can be moved easily using built-in forklift pockets or lifting eyes. Galvanised panels fasten neatly together to provide a robust store that can be configured in numerous sizes, starting from just 1m x 2m. Several HSE features have been carefully designed to enable contractors to

PRE-ERECTED AT AN ADDITIONAL COST

HAZARDOUS GOODS STORAGE

LEGISLATION FOR STORING FUEL AND CHEMICALS

AVAILABLE IN 4 STANDARD SIZES

HEAVY-DUTY RAISED OPEN STEEL FLOOR - ALLOWS SPILLAGES TO DRAIN DIRECTLY INTO SUMP

5-LEVER DEADLOCKS AND JEMMY-PROOF JOINS

For on-site solutions, call our customer experience team on **023 9238 0280** or email sales@armorgard.co.uk

# forma-stor COSHH<sup>™</sup>



>> SECURE, FIRE-RESISTANT, VENTILATED AND LEAK-PROOF STORAGE





## FORMA-STOR™ ACCESSORIES







CERTIFIED SHELVES

HEAVY-DUTY RAMP

Product Code	Description	Weight (kg)	External Dimensions (including protrusions) W x D x H (mm)	Internal Dimensions W x D x H (mm)
FR100-C	Forma-Stor COSHH <sup>™</sup>	277	2075 x 1120 x 2255	1920 x 970 x 1960
FR200-C	Forma-Stor COSHH <sup>™</sup>	415	2075 x 2075 x 2255	1920 x 1920 x 1960
FR300-C	Forma-Stor COSHH <sup>™</sup>	553	2990 x 2075 x 2255	2840 x 1920 x 1960
FR400-C	Forma-Stor COSHH <sup>™</sup>	663	3995 x 2075 x 2255	3840 x 1920 x 1960
FRS2	Forma-Stor <sup>™</sup> Shelf	20	1970 x 520 x 30	N/A
FRBL2	BlokkaBar	23	1960 x 170 x 110	N/A
FRR4	Forma-Stor™ Ramp	37	1185 x 750 x 100-195	N/A

The ultra-secure The Armorgard FlamStor™ is the perfect walk-in hazardous solution for storing larger quantities of storage unit for chemicals or flammable substances. Manufactured to an exacting standard throughout, this heavy-duty walk-in storage unit features a high-security anti-tamper door, fixed internal shelving and an innovative open steel floor, which allows spillages to drain directly into the sump. The **FlamStor™** can also be customised to suit your exact requirements.

or email sales@armorgard.co.uk

# armorgard flamstor™









Product Code	Description	Weight (kg)	External Dimensions W x D x H (mm)	Internal Dimensions W x D x H (mm)	Sump Capacity (L)
FS1.2	FlamStor™	280	1210 x 1270 x 2190	1125 x 1110 x 1980	120
FS1.8	FlamStor™	370	1210 x 1860 x 2190	1085 x 1710 x 1980	195
FS2.0	FlamStor™	570	2000 x 2060 x 2175	1900 x 1912 x 1977	400
FS3.0	FlamStor™	760	2000 x 3066 x 2175	1900 x 2912 x 1977	600
FS4.0	FlamStor™	940	2000 x 4066 x 2175	1900 x 3912 x 1977	800
FS6.0	FlamStor™	1300	2000 x 6066 x 2175	1900 x 5066 x 1977	1000

Note: Weights and dimensions are approximate. External dimensions include handles. Design may vary from the images displayed.

**DrumCage™** is the first choice for the

safe storage of hazardous substances.

With a unique COSHH compliant design,

The one-piece folding security cage for storing your gas cylinders and costly equipment The ingeniously designed TuffCage™ is the answer to a wide range of on-site security needs. Constructed from galvanised heavy-duty steel, this robust high-security cage is suitable for storing gas cylinders as

well as tools and equipment.

## armorgard





A storage unit suitable

hazardous substances

for storing many types of

GALVANISED FOR ULTIMATE DURABILITY

STEEL MESH IS

REMOVABLE SHELF HAS A 120KG SAFE WORKING ADDITIONAL SHELVES CAN BE PURCHASED

LARGE 290L FULLY WELDED SUMP, ALLOWING SAFE DRAINAGE

Product Code	Description	Weight (kg)	External Dimensions W x D x H (mm)	Internal Dimensions W x D x H (mm)	Sump Capacity (L)
DRC4	DrumCage <sup>™</sup>	215	1215 x 1265 x 2100	1150 x 1200 x 1800	290



Note: Weights and dimensions are approximate. External dimensions include handles.

The unique galvanised security cage specially designed for storing gas cylinders

Robustly constructed using 25mm box sections and 3mm wire mesh, the **Gorilla Gas Cage™** features a unique modular bolt-together design using individual galvanised panels, making it quick and easy to erect and dismantle. Suitable for use on site or in the storage yard, it comes complete and ready to erect with all fixings, and flat packs when not in use.







spill pallet for the safe storage of oil drums

The enclosed store and The Armorgard DrumBank™ is specially designed for the safe storage and dispensing of oil drums. Highly robust, the enclosed version is fitted with a heavy-duty door with a 5-lever deadlock to protect your high-value fuel and oil from theft and fire. This innovative purpose-built product is fully compliant with all COSHH regulations for the safe storage of 205-litre drums.

# armorgard drumbank™





TURN BACK FOR MORE INFORMATION ABOUT THE DRUMBANK™

The enclosed store and The Armorgard DrumBank™ is specially spill pallet for the safe designed for the safe storage and storage of oil drums dispensing of oil drums. Highly robust, the enclosed version is fitted with a heavy-duty door with a 5-lever deadlock to protect your high-value fuel and oil from theft and fire. This innovative purpose-built product is fully compliant with all COSHH regulations for the safe storage of 205-litre drums.

armorgard

# drumbank™

STRONG GAS STRUTS

FITTED AS STANDARD - CONFORMS TO INDUSTRY STANDARDS







Product Code	Description	Weight (kg)	External Dimensions W x D x H (mm)	Internal Dimensions W x D x H (mm)	Sump Capacity (L)
DB2	2 Drum DrumBank <sup>™</sup>	178	1385 x 1075 x 1345	1290 x 860 x 1100	295
DB4	4 Drum DrumBank <sup>™</sup>	231	1420 x 1345 x 1290	1300 x 1225 x 1050	485
DBP2	DrumBank <sup>™</sup> Pallet	20	1310 x 750 x 435	N/A	250
DBP4	DrumBank <sup>™</sup> Pallet	32	1290 x 1380 x 280	N/A	405
DB2S	DrumBank™	255	1405 x 925 x 2195	1305 x 775 x 1810	240
DB4S	DrumBank™	345	1405 x 1420 x 2195	1305 x 1280 x 1810	370
DBIBC1	DrumBank™	390	1500 x 1530 x 2210	1380 x 1380 x 1645	1100



## **SECTION 06**

Replacement keys and parts



## Lost keys?

We also hold in stock replacement keys for our products for up to 5 years after purchase, so we can get you quick access should you lose your keys. Each product carries a unique serial number, and this enables us to locate your exact key and despatch immediately.



### **Spare parts**

To complement our extensive range, we also hold in stock a vast supply of spare parts for our products. This enables us to deliver quickly and fulfil any replacement requirements.



### **Castors**

Added flexibility for many of our products.

High-quality, heavy-duty castor sets with a unique quick-fit system. Replacements available for simply bolting on yourself, using the pre-drilled holes.





### **Keys**

Product Code	Description
KEY	Replacement Deadlock Key
KEY3	Replacement Deadlock Key - Set 3



### **Castors**

	Product Code	Description	Contains	Loading capacity
	CAS	6" Castors (Supply Only) c/w Fixing Kit	2x fixed, 2x swivel braked castors	135kg
	CAS-HD	Castors (Supply	2x swivel, 2x swivel braked castors	350kg
	LDLF	Castor Direction Lock Adaptors		
C	CAS-200	Castors for LA1500	2x swivel, 2x swivel braked castors	500kg

#### **Shelves**

Product Code	Description	
SHFC1	Shelf c/w brackets for FSC1 and TSC1	
SHFC2	Shelf c/w brackets for FSC2, TSC2 and FC2	
SHFC3	Shelf c/w brackets for FSC3, TSC3 and FC3	
SH4-OX	Shelf for OX4	
SH2	2' shelf for FBC2	
SH4	4' shelf for FBC4 and CBC4	
SH5	5' shelf for FBC5	
FRS2	2m shelf for Forma-Stor™ Tool and COSHH	
TBS4	Shelf for TB2, TB12, TB3 & TBC4	
TBDS4	Shelf for TBC4	
TBDS5	Shelf for TBC5	
TBS4P	PowerShelf for TB2, TB12, TB3 & TBC4	
TBDS4P	PowerShelf for TBC4	
TBDS5P	PowerShelf for TBC5	





### Locks

Product Code	Description
LOCK2	Pair 5 Lever Deadlocks
LOCK1	Single 5 Lever Deadlock



### Gas Struts and lid stay

Product Code	Description	
G300	300N Gas Strut	
G300S	300N Short Gas Strut	
G450	450N Gas Strut	
G1000	1000N Gas Strut	
G1200	1200N Gas Strut	
STAY1	Lid support stay for boxes	
STAY2	Lid support stay for chests	
SLM2	SlamStop lid stay short	
SLM3	SlampStop lid stay long	



## **FittingStor**<sup>™</sup> **Bins**

Product Code	Description	Available for
FCB	Storage Bins for FittingStor $^{\text{\tiny{TM}}}$	FC2, FC3, FC4, FC5, FC6



Do you need any other spare parts? We can help! Talk to our team to find out more. Call us on **023 9238 0280** or email sales@armorgard.co.uk



Find us on social media:













#### **UK Head Office**

Unit 14-16, Standard Way, Fareham Industrial Park, Fareham, Hampshire, PO16 8XB call +44 (0) 23 9238 0280 email sales@armorgard.co.uk www.armorgard.co.uk



**France Office** call + 33 (0) 4 81 16 06 69 email commercial@armorgard.fr www.armorgard.fr



**Australia Office** call +61 (0) 1300 131 751 email sales@armorgard.com.au www.armorgard.com.au