



2016/17 EDITION

EUROLITE

DECORATIVE WIRING ACCESSORIES



Stainless Steel Range 45 Amp DP Switch and Socket



PLATE DIMENSIONS	4-5
STAINLESS STEEL	6-23
EUROLITE LOW PROFILE CONCEALED FIX	24-37
CONCEALED FIX FLAT PLATE	38-51
EUROLITE FLAT PLATE	52-69
STEPPED	70-87
VICTORIAN	88-105
GEORGIAN BRASS	106-123
GRID	124
MODULAR	125
MISCELLANEOUS	126

Low Profile Concealed Fix Range 4 Gang 10 Amp 2 Way Switch



EUROLITE

- We stock a comprehensive range of decorative electrical accessories, from Concealed Fix to Georgian.
- All products have fully certified interiors from Crabtree, Volex and Eurolite.
- We have over 5000 products in stock with next day delivery as standard.
- In-house assembly to meet your bespoke requirements.
- Technical help with over 15 years experience at Eurolite.
- Suited architectural ironmongery available from Carlisle Brass.

The finishes that Eurolite offer are:

STAINLESS STEEL

Satin Stainless Steel SSS
Polished Stainless Steel PSS
Black Nickel BN
Satin Brass SB
Polished Brass PB
Matt Black MB

EUROLITE LOW PROFILE CONCEALED FIX

Polished Chrome ECPC
Satin Nickel ECSN
Black Nickel ECBN

CONCEALED FIX FLAT PLATE

Polished Brass CPB
Black Nickel CBN
Polished Chrome CPC
Satin Chrome CSC

EUROLITE FLAT PLATE

Polished Stainless Steel EFPSS
Satin Stainless Steel EFSSS
Black Nickel EFBN

STEPPED EDGE

Satin Chrome SSC
Polished Brass SPB
Polished Chrome SPC

VICTORIAN

Satin Chrome SC
Polished Brass V
Polished Chrome C

GEORGIAN

Polished Brass G

SUPPLY POLICY

It is our policy to distribute our products through a strong network of trade outlets throughout the UK. Please contact our sales office for a list of recommended outlets in your area. We pride ourselves on our nationwide team of knowledgeable Sales Representatives who are there to assist and support both our distribution network and end customers.


Whether your project is new-build or refurbishment, we ensure our comprehensive catalogue will facilitate your selection of decorative wiring accessories. Whatever is involved we are able to meet your demands with particular attention to detail to ensure complete satisfaction.

SIZES


All sizes are approximate and we reserve the right to change them where necessary and without notice.

PLATE DIMENSIONS


STAINLESS STEEL PLATE



EUROLITE LOW PROFILE CONCEALED FIX PLATE



CONCEALED FIX FLAT PLATE



FLAT PLATE



STEPPED PLATE



VICTORIAN PLATE



GEORGIAN PLATE



1 Gang

10 Amp 2 Way Switch

Dimensions

86x86x7mm



Variations

Switch	 BN	 PSS	 SSS	 MB	 PB	 SB
Black	BN1SWB	PSS1SWB	SSS1SWB	MB1SWB	PB1SWB	SB1SWB
White	BN1SWW	PSS1SWW	SSS1SWW	MB1SWW	PB1SWW	SB1SWW
Matching	BN1SW	PSS1SW	SSS1SW	MB1SW	PB1SW	SB1SW

2 Gang

10 Amp 2 Way Switch

Dimensions

86x86x7mm



Variations

Switch	 BN	 PSS	 SSS	 MB	 PB	 SB
Black	BN2SWB	PSS2SWB	SSS2SWB	MB2SWB	PB2SWB	SB2SWB
White	BN2SWW	PSS2SWW	SSS2SWW	MB2SWW	PB2SWW	SB2SWW
Matching	BN2SW	PSS2SW	SSS2SW	MB2SW	PB2SW	SB2SW


MATT BLACK FINISH SWITCHES AND SOCKETS USE BLACK NICKEL ROCKERS

**3 Gang****10 Amp 2 Way Switch****Dimensions**

86x86x7mm

Variations

Switch	 BN	 PSS	 SSS	 MB	 PB	 SB
Black	BN3SWB	PSS3SWB	SSS3SWB	MB3SWB	PB3SWB	SB3SWB
White	BN3SWW	PSS3SWW	SSS3SWW	MB3SWW	PB3SWW	SB3SWW
Matching	BN3SW	PSS3SW	SSS3SW	MB3SW	PB3SW	SB3SW

**4 Gang****10 Amp 2 Way Switch****Dimensions**

146x86x7mm

Variations

Switch	 BN	 PSS	 SSS	 MB	 PB	 SB
Black	BN4SWB	PSS4SWB	SSS4SWB	MB4SWB	PB4SWB	SB4SWB
White	BN4SWW	PSS4SWW	SSS4SWW	MB4SWW	PB4SWW	SB4SWW
Matching	BN4SW	PSS4SW	SSS4SW	MB4SW	PB4SW	SB4SW

SATIN BRASS FINISH SWITCHES AND SOCKETS USE POLISHED BRASS ROCKERS

20 Amp Intermediate Switch

Dimensions

86x86x7mm



Variations

Switch	 BN	 PSS	 SSS	 MB	 PB	 SB
Black	BNINTB	PSSINTB	SSSINTB	MBINTB	PBINTB	SBINTB
White	BNINTW	PSSINTW	SSSINTW	MBINTW	PBINTW	SBINTW
Matching	BNINT	PSSINT	SSSINT	MBINT	PBINT	SBINT

20 Amp DP Switch

Dimensions

86x86x7mm



Variations

Switch	 BN	 PSS	 SSS	 MB	 PB	 SB
Black	BN20ASWB	PSS20ASWB	SSS20ASWB	MB20ASWB	PB20ASWB	SB20ASWB
White	BN20ASWW	PSS20ASWW	SSS20ASWW	MB20ASWW	PB20ASWW	SB20ASWW
Matching	BN20ASW	PSS20ASW	SSS20ASW	MB20ASW	PB20ASW	SB20ASW

MATT BLACK FINISH SWITCHES AND SOCKETS USE BLACK NICKEL ROCKERS



20 Amp DP Switch
and Neon

Dimensions
86x86x7mm

Variations

Switch	 BN	 PSS	 SSS	 MB	 PB	 SB
Black	BN20ASWNB	PSS20ASWNB	SSS20ASWNB	MB20ASWNB	PB20ASWNB	SB20ASWNB
White	BN20ASWNW	PSS20ASWNW	SSS20ASWNW	MB20ASWNW	PB20ASWNW	SB20ASWNW
Matching	BN20ASWN	PSS20ASWN	SSS20ASWN	MB20ASWN	PB20ASWN	SB20ASWN

- CRABTREE INTERIOR
- NEXT DAY DELIVERY
- £100 CARRIAGE PAID
- UP TO 24 GANG GRIDS MADE TO ORDER
- COMPETITIVE PRICING

**13 Amp Unswitched
Fuse Spur**

Dimensions

86x86x7mm



Variations

Interior	 BN	 PSS	 SSS	 MB	 PB	 SB
Black	BNUSWFB	PSSUSWFB	SSSUSWFB	MBUSWFB	PBUSWFB	SBUSWFB
White	BNUSWFW	PSSUSWFW	SSSUSWFW	MBUSWFW	PBUSWFW	SBUSWFW

**13 Amp DP Switched
Fuse Spur**

Dimensions

86x86x7mm



Variations

Switch	 BN	 PSS	 SSS	 MB	 PB	 SB
Black	BNSWFB	PSSSWFB	SSSSWFB	MBSWFB	PBSWFB	SBSWFB
White	BNSWFW	PSSSWFW	SSSSWFW	MBSWFW	PBSWFW	SBSWFW
Matching Black	BNSWFBNB	PSSSWFPSB	SSSSWFSSB	MBSWFMBS	PBSWFPBB	SBSWFSBB
Matching White	N/A	PSSSWFPSW	SSSSWFSSW	N/A	PBSWFPBW	SBSWFSBW

MATT BLACK FINISH SWITCHES AND SOCKETS USE BLACK NICKEL ROCKERS

**13 Amp DP Switched Fuse and Neon****Dimensions**

86x86x7mm

Variations

Switch	 BN	 PSS	 SSS	 MB	 PB	 SB
Black	BNSWFNB	PSSSWFNB	SSSSWFNB	MBSWFNB	PBSWFNB	SBSWFNB
White	BNSWFNW	PSSSWFNW	SSSSWFNW	MBSWFNW	PBSWFNW	SBSWFNW
Matching Black	BNSWFNB	PSSSWFNPSB	SSSSWFNSSB	MBSWFNMBB	PBSWFNPBB	SBSWFNSBB
Matching White	N/A	PSSSWFNPSW	SSSSWFNSSW	N/A	PBSWFNPBW	SBSWFNSBW

**13 Amp DP Switched Fuse and Flex Outlet****Dimensions**

86x86x7mm

Variations

Switch	 BN	 PSS	 SSS	 MB	 PB	 SB
Black	BNSWFFOB	PSSSWFFOB	SSSSWFFOB	MBSWFFOB	PBSWFFOB	SBSWFFOB
White	BNSWFFOW	PSSSWFFOW	SSSSWFFOW	MBSWFFOW	PBSWFFOW	SBSWFFOW
Matching Black	BNSWFFOB	PSSSWFFOPSB	SSSSWFFOSSB	MBSWFFOMBB	PBSWFFOPBB	SBSWFFOSBB
Matching White	N/A	PSSSWFFOPSW	SSSSWFFOSSW	N/A	PBSWFFOPBW	SBSWFFOSBW

MATT BLACK FINISH SWITCHES AND SOCKETS USE BLACK NICKEL ROCKERS

45 Amp DP Cooker Switch
Double Plate

Dimensions

86x146x7mm



Variations

Switch	 BN	 PSS	 SSS	 MB	 PB	 SB
Black	BN45ASWNB	PSS45ASWNB	SSS45ASWNB	MB45ASWNB	PB45ASWNB	SB45ASWNB
White	BN45ASWNW	PSS45ASWNW	SSS45ASWNW	MB45ASWNW	PB45ASWNW	SB45ASWNW

MATT BLACK FINISH SWITCHES AND SOCKETS USE BLACK NICKEL ROCKERS



45 Amp Cooker Switch Single Plate

Dimensions

86x86x7mm

Variations

Switch	 BN	 PSS	 SSS	 MB	 PB	 SB
Black	BN45ASWNSB	PSS45ASWNSB	SSS45ASWNSB	MB45ASWNSB	PB45ASWNSB	SB45ASWNSB
White	BN45ASWNSW	PSS45ASWNSW	SSS45ASWNSW	MB45ASWNSW	PB45ASWNSW	SB45ASWNSW



Fan Isolator Switch Triple Pole

Dimensions

86x86x7mm

Variations

Switch	 BN	 PSS	 SSS	 MB	 PB	 SB
Black	BNFSWB	PSSFSWB	SSSFSWB	MBFSWB	PBFSWB	SBFSWB
White	BNFSWW	PSSFSWW	SSSFSWW	MBFSWW	PBFSWW	SBFSWW
Matching	BNFSW	PSSFSW	SSSFSW	MBFSW	PBFSW	SBFS

MATT BLACK FINISH SWITCHES AND SOCKETS USE BLACK NICKEL ROCKERS

1 Gang

**400W and 800W
Dimmer Switch**

Dimensions

86x86x7mm



Variations

Watt/Led	 BN	 PSS	 SSS	 MB	 PB	 SB
400W	BN1D400	PSS1D400	SSS1D400	MB1D400	PB1D400	SB1D400
800W	BN1D800	PSS1D800	SSS1D800	MB1D800	PB1D800	SB1D800
LED	BN1DLED	PSS1DLED	SSS1DLED	MB1DLED	PB1DLED	SB1DLED

2 Gang

**400W
Dimmer Switch**

Dimensions

86x86x7mm



Variations

Watt/Led	 BN	 PSS	 SSS	 MB	 PB	 SB
400W	BN2D400	PSS2D400	SSS2D400	MB2D400	PB2D400	SB2D400
LED	BN2DLED	PSS2DLED	SSS2DLED	MB2DLED	PB2DLED	SB2DLED

WHEN USING ANY DIMMER TO CONTROL LOW VOLTAGE LIGHTING WE RECOMMEND TESTING THE COMPATIBILITY BEFORE FULL INSTALLATION



3 Gang
400W
Dimmer Switch
Dimensions
146x86x7mm

Watt/Led	 BN	 PSS	 SSS	 MB	 PB	 SB
400W	BN3D400	PSS3D400	SSS3D400	MB3D400	PB3D400	SB3D400
LED	BN3DLED	PSS3DLED	SSS3DLED	MB3DLED	PB3DLED	SB3DLED

Variations



4 Gang
400W
Dimmer Switch
Dimensions
146x86x7mm

Watt/Led	 BN	 PSS	 SSS	 MB	 PB	 SB
400W	BN4D400	PSS4D400	SSS4D400	MB4D400	PB4D400	SB4D400
LED	BN4DLED	PSS4DLED	SSS4DLED	MB4DLED	PB4DLED	SB4DLED

Variations

WHEN USING ANY DIMMER TO CONTROL LOW VOLTAGE LIGHTING WE RECOMMEND TESTING THE COMPATIBILITY BEFORE FULL INSTALLATION

1 Gang

13 Amp DP Switched Socket

Dimensions

86x86x7mm



Variations

Switch	 BN	 PSS	 SSS	 MB	 PB	 SB
Black	BN1SOB	PSS1SOB	SSS1SOB	MB1SOB	PB1SOB	SB1SOB
White	BN1SOW	PSS1SOW	SSS1SOW	MB1SOW	PB1SOW	SB1SOW
Matching Black	BN1SOBNB	PSS1SOPSB	SSS1SOSSB	MB1SOMBB	PB1SOPBB	SB1SOSBB
Matching White	N/A	PSS1SOPSW	SSS1SOSSW	N/A	PB1SOPBW	SB1SOSBW

2 Gang

13 Amp DP Switched Socket

Dimensions

146x86x7mm



Variations

Switch	 BN	 PSS	 SSS	 MB	 PB	 SB
Black	BN2SOB	PSS2SOB	SSS2SOB	MB2SOB	PB2SOB	SB2SOB
White	BN2SOW	PSS2SOW	SSS2SOW	MB2SOW	PB2SOW	SB2SOW
Matching Black	BN2SOBNB	PSS2SOPSB	SSS2SOSSB	MB2SOMBB	PB2SOPBB	SB2SOSBB
Matching White	N/A	PSS2SOPSW	SSS2SOSSW	N/A	PB2SOPBW	SB2SOSBW

MATT BLACK FINISH SWITCHES AND SOCKETS USE BLACK NICKEL ROCKERS

**1 Gang****13 Amp Switched Socket with 2.1 Amp USB Outlet****Dimensions**

86x86x7mm

Variations

Switch	 BN	 PSS	 SSS	 MB	 PB	 SB
Black	BN1USBB	PSS1USBB	SSS1USBB	MB1USBB	PB1USBB	SB1USBB
White	N/A	PSS1USBW	SSS1USBW	N/A	PB1USBW	SB1USBW
Matching Black	BN1USBBNB	PSS1USBPSB	SSS1USBSSB	N/A	PB1USBPBB	SB1USBPBB
Matching White	N/A	PSS1USBPSW	SSS1USBSSW	N/A	PB1USBPBW	SB1USBPBW

**2 Gang****13 Amp Switched Double Socket with Combined 3.1 Amp USB Outlets (2.1A + 1A)****Dimensions**

146x86x7mm

Variations

Switch	 BN	 PSS	 SSS	 MB	 PB	 SB
Black	BN2USBB	PSS2USBB	SSS2USBB	MB2USBB	PB2USBB	SB2USBB
White	N/A	PSS2USBW	SSS2USBW	N/A	PB2USBW	SB2USBW
Matching Black	BN2USBBNB	PSS2USBPSB	SSS2USBSSB	N/A	PB2USBPBB	SB2USBPBB
Matching White	N/A	PSS2USBPSW	SSS2USBSSW	N/A	PB2USBPBW	SB2USBPBW

MATT BLACK FINISH SWITCHES AND SOCKETS USE BLACK NICKEL ROCKERS

5 Amp Switched Socket

Dimensions

86x86x7mm



Variations

Switch	 BN	 PSS	 SSS	 MB	 PB	 SB
Black	BN5ASOB	PSS5ASOB	SSS5ASOB	MB5ASOB	PB5ASOB	SB5ASOB
White	BN5ASOW	PSS5ASOW	SSS5ASOW	MB5ASOW	PB5ASOW	SB5ASOW

45 Amp DP Switch and Socket

Dimensions

146x86x7mm



Variations

Switch	 BN	 PSS	 SSS	 MB	 PB	 SB
Black	BN45ASWASB	PSS45ASWASB	SSS45ASWASB	MB45ASWASB	PB45ASWASB	SB45ASWASB
White	BN45ASWASW	PSS45ASWASW	SSS45ASWASW	MB45ASWASW	PB45ASWASW	SB45ASWASW

MATT BLACK FINISH SWITCHES AND SOCKETS USE BLACK NICKEL ROCKERS

**Telephone Slave****Dimensions**

86x86x7mm

Variations

Interior	 BN	 PSS	 SSS	 MB	 PB	 SB
Black	BNISLB	PSSISLB	SSSISLB	MBISLB	PBISLB	SBISLB
White	BNISLW	PSSISLW	SSSISLW	MBISLW	PBISLW	SBISLW

**Telephone Master****Dimensions**

86x86x7mm

Variations

Interior	 BN	 PSS	 SSS	 MB	 PB	 SB
Black	BNIMB	PSSIMB	SSSIMB	MBIMB	PBIMB	SBIMB
White	BNIMW	PSSIMW	SSSIMW	MBIMW	PBIMW	SBIMW

I Gang

TV Outlet

Dimensions

86x86x7mm



Variations

Interior	 BN	 PSS	 SSS	 MB	 PB	 SB
Black	BN1TVB	PSS1TVB	SSS1TVB	MB1TVB	PB1TVB	SB1TVB
White	BN1TVW	PSS1TVW	SSS1TVW	MB1TVW	PB1TVW	SB1TVW

2 Gang

TV Outlet

Dimensions

86x86x7mm



Variations

Interior	 BN	 PSS	 SSS	 MB	 PB	 SB
Black	BN2TVB	PSS2TVB	SSS2TVB	MB2TVB	PB2TVB	SB2TVB
White	BN2TVW	PSS2TVW	SSS2TVW	MB2TVW	PB2TVW	SB2TVW



Interior	■ BN	■ PSS	■ SSS	■ MB	■ PB	■ SB
Black	BNSKY+B	PSSKY+B	SSSKY+B	MBSKY+B	PBSKY+B	SBSKY+B
White	BNSKY+W	PSSKY+W	SSSKY+W	MBSKY+W	PBSKY+W	SBSKY+W

- FULL RANGE OF TV, RADIO AND SATELLITE MODULES IN SINGLE, TWIN, TRIPLE AND QUAD FORMATS
- INCLUDES TELEPHONE MASTER, SLAVE, DATA AND SPEAKER MODULES. AVAILABLE IN BLACK OR WHITE



Interior	■ BN	■ PSS	■ SSS	■ MB	■ PB	■ SB
Black	BNSHSB	PSSHSB	SSSHSB	MBSHSB	PBSHSB	SBSHSB
White	BNSHSW	PSSHSW	SSSHSW	MBSHSW	PBSHSW	SBSHSW

Sky + Socket

Dimensions

146x86x7mm

Variations

Shaver Socket

Dimensions

86x146x7mm

Variations

1 Gang

Blank Plate

Dimensions

86x86x7mm



Variations

 BN	 PSS	 SSS	 MB	 PB	 SB
BN1B	PSS1B	SSS1B	MB1B	PB1B	SB1B

2 Gang

Blank Plate

Dimensions

146x86x7mm



Variations

 BN	 PSS	 SSS	 MB	 PB	 SB
BN2B	PSS2B	SSS2B	MB2B	PB2B	SB2B

Eurolite utilise Crabtree capital power and control interiors which are fully design co-ordinated to offer consistent styling and inherent safety features across a broad range of applications.

Features include:

- Large concave rockers for ease of operation especially for the elderly and infirm.
- Labyrinth switch design to minimise visible arc flash and prevents front access to live parts.
- Large tunnel terminals with Live and Neutral angled for ease of wiring and to assist installation.
- Socket outlets with twin earth terminals as standard for high integrity earthing.
- Padlockable Fused Connection Unit carrier for extra on-site maintenance safety.
- Optional neon indicator for visual "ON".
- Positive drive action prevents balancing between ON and OFF position.
- Double pole product marking on moulded rocker to easily identify once product has been installed.
- Substantial silver alloy contacts for longer life and low contact resistance.
- 3mm contact gap ensures safe means of isolation.
- Individually boxed to protect product before installation.
- Metal rockers to harmonise with the decorative plate finish.
- Modular grid products enables units to be quickly and easily assembled to customers' individual specifications allowing several circuits to be controlled from a single position.

RECOMMENDED QUANTITY OF SOCKET OUTLETS FOR DOMESTIC INSTALLATIONS

An installation may have too few socket outlets or the existing socket outlets may be incorrectly sited. Both conditions are symptomatic of an inadequate installation which could lead to potentially dangerous improvisation. The following is a summary of the recommendations of the Electrical Installation Industry Liaison Committee and all socket outlets should be of the twin switched type.

NUMBER OF SOCKETS ROOM	6 KITCHEN	6 LOUNGE	4 DINING ROOM
4 DOUBLE BEDROOM	4 SITTING ROOM	4 SINGLE BEDROOM	1 LANDING/STAIRS
2 HALL	2 GARAGE	2 STORE/WORKROOM	1 CENTRAL HEATING BOILER POINT
GUIDE TO THE TERMINAL CAPACITIES OF THE PRINCIPAL WIRING ACCESSORIES - PRODUCT/CONDUCTOR SIZE			
	13A SOCKET OUTLETS	3 x 2.5mm , 2 x 4mm , 2 x 6mm	
	13A FUSED CONNECTION UNITS	3 x 2.5mm , 2 x 4mm , 2 x 6mm	
	10AX PLATE SWITCHES	4 x 1mm , 3 x 1.5mm , 1 x 2.5mm	
	20A DP SWITCHES	3 x 2.5mm , 2 x 4mm , 1 x 6mm , 1 x 10mm	

1 Gang

10 Amp 2 Way Switch

Dimensions

86x86x6mm



Variations

Switch	 PC	 SN	 BN
Matching Black	ECPC1SWPCB	ECSN1SWSNB	ECBN1SWBNB
Matching White	ECPC1SWPCW	ECSN1SWSNW	N/A

2 Gang

10 Amp 2 Way Switch

Dimensions

86x86x6mm




Variations

Switch	 PC	 SN	 BN
Matching Black	ECPC2SWPCB	ECSN2SWSNB	ECBN2SWBNB
Matching White	ECPC2SWPCW	ECSN2SWSNW	N/A

10 AMP 2 WAY SWITCH ALSO AVAILABLE IN 6 GANG



Switch	 PC	 SN	 BN
Matching	ECPC3SWPCB	ECSN3SWSNB	ECBN3SWBNB
Matching	ECPC3SWPCW	ECSN3SWSNW	N/A



Switch	 PC	 SN	 BN
Matching Black	ECPC4SWPCB	ECSN4SWSNB	ECBN4SWBNB
Matching White	ECPC4SWPCW	ECSN4SWSNW	N/A

3 Gang**10 Amp 2 Way Switch****Dimensions**

86x86x6mm

Variations**4 Gang****10 Amp 2 Way Switch****Dimensions**

86x146x6mm

Variations

20 Amp Intermediate Switch

Dimensions

86x86x6mm



Variations

Switch	 PC	 SN	 BN
Matching Black	ECPCINTPCB	ECSNINTSNB	ECBNINTBNB
Matching White	ECPCINTPCW	ECSNINTSNW	N/A

20 Amp DP Switch

Dimensions

86x86x6mm



Variations

Switch	 PC	 SN	 BN
Matching Black	ECPC20ADPSWPCB	ECSN20ADPSWSNB	ECBN20ADPSWBNB
Matching White	ECPC20ADPSWPCW	ECSN20ADPSWSNW	N/A



Switch	PC	SN	BN
Matching	ECPC20ADPSWNPB	ECSN20ADPSWNSNB	ECBN20ADPSWNB NB
Matching	ECPC20ADPSWNP CW	ECSN20ADPSWNSNW	N/A



Interior	PC	SN	BN
Matching Black	ECPCUSWFPCB	ECSNUSWF5NB	ECBNUSWFBNB
Matching White	ECPCUSWFPCW	ECSNUSWF5NW	N/A

20 Amp DP Switch and Neon

Dimensions

86x86x6mm

Variations

13 Amp Unswitched Fuse Spur

Dimensions

86x86x6mm

Variations

13 Amp DP Switched
Fuse Spur

Dimensions
86x86x6mm



Variations

Switch	 PC	 SN	 BN
Matching Black	ECPCSWFPCB	ECSNSWFSNB	ECBNSWFBNB
Matching White	ECPCSWFPCW	ECSNSWFSNW	N/A

13 Amp DP Switched
Fuse and Neon

Dimensions
86x86x6mm



Variations

Switch	 PC	 SN	 BN
Matching Black	ECPCSWFNPCB	ECSNSWFNSNB	ECBNSWFNBNB
Matching White	ECPCSWFNPCW	ECSNSWFNSNW	N/A



45 Amp Cooker Switch
Single Plate

Dimensions

86x86x6mm

Switch	 PC	 SN	 BN
Matching	ECPC45ASWNSPCB	ECSN45ASWNSNB	ECBN45ASWNSBNB
Matching	ECPC45ASWNSPCW	ECSN45ASWNSNW	N/A



Fan Isolator Switch
Triple Pole

Dimensions

86x86x6mm

Switch	 PC	 SN	 BN
Matching	ECPCFSWPCB	ECSNFSWSNB	ECBNFSWBNB
Matching	ECPCFSWPCW	ECSNFSWSNW	N/A

Variations

I Gang

**400W
Dimmer Switch**

Dimensions

86x86x6mm



Variations

400w/Led	 PC	 SN	 BN
Black	ECPC1D400 PCB	ECSN1D400 SNB	ECBN1D400 BNB
Led	ECPC1DLED PCB	ECSN1DLED SNB	ECBN1DLED BNB
White	ECPC1D400 PCW	ECSN1D400 SNW	N/A
Led	ECPC1DLED PCW	ECSN1DLED SNW	N/A

2 Gang

**400W
Dimmer Switch**

Dimensions

86x86x6mm



Variations

400w/Led	 PC	 SN	 BN
Black	ECPC2D400 PCB	ECSN2D400 SNB	ECBN2D400 BNB
Led	ECPC2DLED PCB	ECSN2DLED SNB	ECBN2DLED BNB
White	ECPC2D400 PCW	ECSN2D400 SNW	N/A
Led	ECPC2DLED PCW	ECSN2DLED SNW	N/A



400w/Led	PC	SN	BN
Black	ECPC3D400 PCB	ECSN3D400 SNB	ECBN3D400 BNB
Led	ECPC3DLED PCB	ECSN3DLED SNB	ECBN3DLED BNB
White	ECPC3D400 PCW	ECSN3D400 SNW	N/A
Led	ECPC3DLED PCW	ECSN3DLED SNW	N/A



400w/Led	PC	SN	BN
Black	ECPC4D400 PCB	ECSN4D400 SNB	ECBN4D400 BNB
Led	ECPC4DLED PCB	ECSN4DLED SNB	ECBN4DLED BNB
White	ECPC4D400 PCW	ECSN4D400 SNW	N/A
Led	ECPC4DLED PCW	ECSN4DLED SNW	N/A

3 Gang**400W
Dimmer Switch****Dimensions**

146x86x6mm

Variations**4 Gang****400W
Dimmer Switch****Dimensions**

146x86x6mm

Variations

1 Gang

**13 Amp DP Switched
Socket**

Dimensions

86x86x6mm



Variations

Switch	PC	SN	BN
Matching Black	ECPC1SOPCB	ECSN1SOSNB	ECBN1SOBN
Matching White	ECPC1SOPCW	ECSN1SOSNW	N/A

2 Gang

**13 Amp DP Switched
Socket**


Dimensions

146x86x6mm



Variations

Switch	PC	SN	BN
Matching Black	ECPC2SOPCB	ECSN2SOSNB	ECBN2SOBN
Matching White	ECPC2SOPCW	ECSN2SOSNW	N/A



Switch	PC	SN	BN
Matching Black	ECPC45ASWASPCB	ECSN45ASWASSNB	ECBN45ASWASBNB
Matching White	ECPC45ASWASPCW	ECSN45ASWASSNW	N/A

45 Amp DP Switch and Socket

Dimensions

146x86x6mm

Variations



Switch	PC	SN	BN
Matching Black	ECPCUSB B	ECSNUSB B	ECBNUSB B
Matching White	ECPCUSB W	ECSNUSB W	N/A

13 Amp Socket and 2 USB Ports

Dimensions

146x86x6mm

Variations

Telephone Slave

Dimensions

86x86x6mm



Variations

Interior	 PC	 SN	 BN
Black	ECPCISLB	ECSNISLB	ECBNISLB
White	ECPCISLW	ECSNISLW	N/A

Telephone Master

Dimensions

86x86x6mm



Variations

Interior	 PC	 SN	 BN
Black	ECPCIMB	ECSNIMB	ECBNIMB
White	ECPCIMW	ECSNIMW	N/A



Interior	PC	SN	BN
Black	ECPCITVB	ECSNITVB	ECBNITVB
White	ECPCITVW	ECSNITVW	N/A



Interior	PC	SN	BN
Black	ECPC2TVB	ECSN2TVB	ECBN2TVB
White	ECPC2TVW	ECSN2TVW	N/A

1 Gang**TV Outlet****Dimensions**

86x86x6mm

Variations**2 Gang****TV Outlet****Dimensions**

86x86x6mm

Variations

Shaver Socket

Dimensions

86x146x6mm




Variations

Interior	 PC	 SN	 BN
Black	ECPCSHSB	ECSNSHSB	ECBNSHSB
White	ECPCSHSW	ECSNSHSW	N/A



		
PC	SN	BN
ECPC1B	ECSN1B	ECBN1B



		
PC	SN	BN
ECPC2B	ECSN2B	ECBN2B

1 Gang

Blank Plate

Dimensions

86x86x6mm

Variations

2 Gang

Blank Plate

Dimensions

146x86x6mm

Variations

1 Gang

10 Amp 2 Way Switch

Dimensions

88x88x3mm



Variations


Switch	 CBN	 CPC	 CPB	 CSC
Matching	CBN1SW	CPC1SW	CPB1SW	CSC1SW

2 Gang

10 Amp 2 Way Switch

Dimensions

88x88x3mm



Variations

Switch	 CBN	 CPC	 CPB	 CSC
Matching	CBN2SW	CPC2SW	CPB2SW	CSC2SW



Switch	 CBN	 CPC	 CPB	 CSC
Matching	CBN3SW	CPC3SW	CPB3SW	CSC3SW

3 Gang

10 Amp 2 Way Switch

Dimensions

88x88x3mm

Variations

CONTACT US FOR DETAILS ON AVAILABLE

GRID OR MODULE OPTIONS

TEL: 01772 672020

EMAIL: SALES@EUROLITE.CO.UK

WEB: WWW.EUROLITE.CO.UK

20 Amp DP Intermediate

Dimensions

88x88x3mm



Variations

Switch	 CBN	 CPC	 CPB	 CSC
Matching	CBNINT	CPCINT	CPBINT	CSCINT

20 Amp DP Switch

Dimensions

88x88x3mm



Variations

Switch	 CBN	 CPC	 CPB	 CSC
Matching	CBN20ASW	CPC20ASW	CPB20ASW	CSC20ASW



20 Amp DP Switch
and Neon

Dimensions

88x88x3mm

Variations

Switch	 CBN	 CPC	 CPB	 CSC
Matching	CBN20ASWN	CPC20ASWN	CPB20ASWN	CSC20ASWN

- CRABTREE INTERIOR
- NEXT DAY DELIVERY
- £100 CARRIAGE PAID
- COMPETITIVE PRICING

13 Amp DP Switched
Fuse Spur

Dimensions
88x88x3mm




Variations

Switch	 CBN	 CPC	 CPB	 CSC
Matching Black	CBNSWFBNB	CPCSWFPCB	CPBSWF PBB	CSCSWFSCB
Matching White	N/A	CPCSWFPCW	CPBSWF PBW	CSCSWFSCW

13 Amp DP Switched
Fuse and Neon

Dimensions
88x88x3mm



Variations

Switch	 CBN	 CPC	 CPB	 CSC
Matching Black	CBNSWFBNB	CPCSWFNPCB	CPBSWFNPBB	CSCSWFNSCB
Matching White	N/A	CPCSWFNPCW	CPBSWFNPBW	CSCSWFNSCW



Switch	 CBN	 CPC	 CPB	 CSC
Matching	CBN45ASWNS	CPC45ASWNS	CPB45ASWNS	CSC45ASWNS



Switch	 CBN	 CPC	 CPB	 CSC
Matching	CBNFSW	CPCFSW	CPBFSW	CSCFSW

45 Amp DP Cooker Switch Single Plate

Dimensions

88x88x3mm

Variations

Fan Isolator Switch Triple Pole

Dimensions

88x88x3mm

Variations

1 Gang

**250W and 400W
Dimmer Switch**

Dimensions

88x88x3mm



Variations

Watt/Led	 CBN	 CPC	 CPB	 CSC
400W	CBN1D400	CPC1D400	CPB1D400	CSC1D400
LED	CBN1DLED	CPC1DLED	CPB1DLED	CSC1DLED

2 Gang

**250W and 400W
Dimmer Switch**

Dimensions

88x88x3mm




Variations

Watt/Led	 CBN	 CPC	 CPB	 CSC
400W	CBN2D400	CPC2D400	CPB2D400	CSC2D400
LED	CBN2DLED	CPC2DLED	CPB2DLED	CSC2DLED



Switch	 CBN	 CPC	 CPB	 CSC
Matching Black	CBN1SOB	CPC1SOB	CPB1SOB	CSC1SOB
Matching White	N/A	CPC1SOW	CPB1SOW	CSC1SOW



Switch	 CBN	 CPC	 CPB	 CSC
Matching Black	CBN2SOB	CPC2SOB	CPB2SOB	CSC2SOB
Matching White	N/A	CPC2SOW	CPB2SOW	CSC2SOW

1 Gang**13 Amp DP Switched Socket****Dimensions**

88x88x3mm

Variations**2 Gang****13 Amp DP Switched Socket****Dimensions**

148x88x3mm

Variations

**5 Amp Unswitched
Socket**

Dimensions

88x88x3mm




Variations

Interior	 CBN	 CPC	 CPB	 CSC
Black	CBN5AUSOB	CPC5AUSOB	CPB5AUSOB	CSC5AUSOB
White	N/A	CPC5AUSOW	CPB5AUSOW	CSC5AUSOW

**45 Amp DP Switch
and Socket**

Dimensions

148x88x3mm



Variations

Switch	 CBN	 CPC	 CPB	 CSC
Matching Black	CBN45ASWASB	CPC45ASWASB	CPB45ASWASB	CSC45ASWASB
Matching White	N/A	CPC45ASWASW	CPB45ASWASW	CSC45ASWASW



Interior	 CBN	 CPC	 CPB	 CSC
Black	CBN1SLB	CPC1SLB	CPB1SLB	CSC1SLB
White	CBN1SLW	CPC1SLW	CPB1SLW	CSC1SLW



Interior	 CBN	 CPC	 CPB	 CSC
Black	CBN1MB	CPC1MB	CPB1MB	CSC1MB
White	CBN1MW	CPC1MW	CPB1MW	CSC1MW

Telephone Slave**Dimensions**

88x88x3mm

Variations**Telephone Master****Dimensions**

88x88x3mm

Variations

I Gang

TV Outlet

Dimensions

88x88x3mm



Variations

	 CBN	 CPC	 CPB	 CSC
Matching	CBN1TV	CPC1TV	CPB1TV	CSC1TV

Sky + Socket

Dimensions

148x88x3mm



Variations

Interior	 CBN	 CPC	 CPB	 CSC
Black	CBNSKY+B	CPCSKY+B	CPBSKY+B	CSCSKY+B
White	N/A	CPCSKY+W	CPBSKY+W	CSCSKY+W



Shaver Socket

Dimensions

88x148x3mm

Interior	 CBN	 CPC	 CPB	 CSC
Black	CBNSHSB	CPCSHSB	CPBSHSB	CSCSHSB
White	N/A	CPCSHSW	CPBSHSW	CSCSHSW

Variations

1 Gang

Blank Plate

Dimensions

88x88x3mm



Variations

 CBN	 CPC	 CPB	 CSC
CBN1B	CPC1B	CPB1B	CSC1B

2 Gang

Blank Plate

Dimensions

148x88x3mm



Variations

 CBN	 CPC	 CPB	 CSC
CBN2B	CPC2B	CPB2B	CSC2B

Eurolite utilise Crabtree capital power and control interiors which are fully design co-ordinated to offer consistent styling and inherent safety features across a broad range of applications.

Features include:

- Large concave rockers for ease of operation especially for the elderly and infirm.
- Labyrinth switch design to minimise visible arc flash and prevents front access to live parts.
- Large tunnel terminals with Live and Neutral angled for ease of wiring and to assist installation.
- Socket outlets with twin earth terminals as standard for high integrity earthing.
- Padlockable Fused Connection Unit carrier for extra on-site maintenance safety.
- Optional neon indicator for visual "ON".
- Positive drive action prevents balancing between ON and OFF position.
- Double pole product marking on moulded rocker to easily identify once product has been installed.
- Substantial silver alloy contacts for longer life and low contact resistance.
- 3mm contact gap ensures safe means of isolation.
- Individually boxed to protect product before installation.
- Metal rockers to harmonise with the decorative plate finish.
- Modular grid products enables units to be quickly and easily assembled to customers' individual specifications allowing several circuits to be controlled from a single position.

RECOMMENDED QUANTITY OF SOCKET OUTLETS FOR DOMESTIC INSTALLATIONS

An installation may have too few socket outlets or the existing socket outlets may be incorrectly sited. Both conditions are symptomatic of an inadequate installation which could lead to potentially dangerous improvisation. The following is a summary of the recommendations of the Electrical Installation Industry Liaison Committee and all socket outlets should be of the twin switched type.

NUMBER OF SOCKETS ROOM	6 KITCHEN	6 LOUNGE	4 DINING ROOM
4 DOUBLE BEDROOM	4 SITTING ROOM	4 SINGLE BEDROOM	1 LANDING/STAIRS
2 HALL	2 GARAGE	2 STORE/WORKROOM	1 CENTRAL HEATING BOILER POINT
GUIDE TO THE TERMINAL CAPACITIES OF THE PRINCIPAL WIRING ACCESSORIES - PRODUCT/CONDUCTOR SIZE			
	13A SOCKET OUTLETS	$3 \times 2.5\text{mm}^2, 2 \times 4\text{mm}^2, 2 \times 6\text{mm}^2$	
	13A FUSED CONNECTION UNITS	$3 \times 2.5\text{mm}^2, 2 \times 4\text{mm}^2, 2 \times 6\text{mm}^2$	
	10AX PLATE SWITCHES	$4 \times 1\text{mm}^2, 3 \times 1.5\text{mm}^2, 1 \times 2.5\text{mm}^2$	
	20A DP SWITCHES	$3 \times 2.5\text{mm}^2, 2 \times 4\text{mm}^2, 1 \times 6\text{mm}^2, 1 \times 10\text{mm}^2$	

1 Gang

10 Amp 2 Way Switch

Dimensions

86x86x2mm



Variations

Switch	 EFPS	 EFSS	 EFBN
Matching Black	EFPS1SWPSB	EFSS1SWSSB	EFBN1SWBNB
Matching White	EFPS1SWPSW	EFSS1SWSSW	N/A

2 Gang

10 Amp 2 Way Switch

Dimensions

86x86x2mm



Variations

Switch	 EFPS	 EFSS	 EFBN
Matching Black	EFPS2SWPSB	EFSS2SWSSB	EFBN2SWBNB
Matching White	EFPS2SWPSW	EFSS2SWSSW	N/A



Switch	 EFPS	 EFSS	 EFBN
Matching Black	EFPS3SWPSB	EFSS3SWSSB	EFBN3SWBNB
Matching White	EFPS3SWPSW	EFSS3SWSSW	N/A

3 Gang**10 Amp 2 Way Switch****Dimensions**

86x86x2mm

Variations

Switch	 EFPS	 EFSS	 EFBN
Matching Black	EFPS4SWPSB	EFSS4SWSSB	EFBN4SWBNB
Matching White	EFPS4SWPSW	EFSS4SWSSW	N/A

4 Gang**10 Amp 2 Way Switch****Dimensions**

146x86x2mm

Variations

20 Amp Intermediate Switch

Dimensions

86x86x2mm



Variations

Switch	 EFPS	 EFSS	 EFBN
Matching Black	EFPSINTPSB	EFSSINTSSB	EFBNINTBNB
Matching White	EFPSINTPSW	EFSSINTSSW	EFBNINTBNW

20 Amp DP Switch

Dimensions

86x86x2mm



Variations

Switch			
Matching Black	EFPS20ADPSWPSB	EFSS20ADPSWSSB	EFBN20ADPSWBNB
Matching White	EFPS20ADPSWPSW	EFSS20ADPSWSSW	EFBN20ADPSWBNW



20 Amp DP Switch

Dimensions

86x86x2mm

Variations

Switch	 EFPS	 EFSS	 EFBN
Matching Black	EFPS20ADPSWNPB	EFSS20ADPSWNSSB	EFBN20ADPSWNB
Matching White	EFPS20ADPSWNPW	EFSS20ADPSWNSSW	N/A

- CRABTREE INTERIOR
- NEXT DAY DELIVERY
- £100 CARRIAGE PAID
- UP TO 8 GANG GRIDS MADE TO ORDER
- COMPETITIVE PRICING

13 Amp Unswitched

Dimensions

86x86x2mm

Variations



Switch	 EFPS	 EFSS	 EFBN
Black	EFPSUSWFB	EFSSUSWFB	EFBNUSWFB
White	EFPSUSWFW	EFSSUSWFW	N/A

13 Amp DP Switched
Fuse Spur

Dimensions

86x86x2mm

Variations



Switch	 EFPS	 EFSS	 EFBN
Matching Black	EFPSSSWFPSB	EFSSSSWFSSB	EFBNSW/FBNB
Matching White	EFPSSSWFPSW	EFSSSSWFSSW	N/A



Switch	 EFPS	 EFSS	 EFBN
Matching Black	EFPSWWFNPSB	EFSSWWFNSSB	EFBNWWFNB
Matching White	EFPSWWFNPSW	EFSSWWFNSSW	N/A

13 Amp DP Switched Fuse and Neon

Dimensions

86x86x2mm

Variations



Switch	 EFPS	 EFSS	 EFBN
Matching Black	EFPSWWFOPSB	EFSSWWFOSSB	EFBNWWFOBNB
Matching White	EFPSWWFOPSW	EFSSWWFOSSW	N/A

13 Amp DP Switched Fuse and Flex Outlet

Dimensions

86x86x2mm

Variations

45 Amp DP Cooker Switch
Double Plate

Dimensions

86x146x2mm



Variations

Switch	 EFPS	 EFSS	 EFBN
Matching Black	EFPS45ASWNPBS	EFSS45ASWNSSB	EFBN45ASWNBNS
Matching White	EFPS45ASWNPWS	EFSS45ASWNSSW	N/A



**45 Amp Cooker Switch
Single Plate**

Dimensions

86x86x2mm

Variations

Switch	 EFPS	 EFSS	 EFSN
Matching Black	EFPS45ASWNPSB	EFSS45ASWNSSB	EFSN45ASWNSBNB
Matching White	EFPS45ASWNPSW	EFSS45ASWNSSW	N/A



**Fan Isolator Switch
Triple Pole**

Dimensions

86x86x2mm

Variations

Switch	 EFPS	 EFSS	 EFSN
Matching Black	EFPSFSWPSB	EFSSFSWSSB	EFSNFSWBNB
Matching White	EFPSFSWPSW	EFSSFSWSSW	N/A

1 Gang

**400W and 800W
Dimmer Switch**

Dimensions

86x86x2mm



Variations

Watt/Led	 EFPS	 EFSS	 EFBN
400W	EFPS1D400	EFSS1D400	EFBN1D400
800W	EFPS1D800	EFSS1D800	EFBN1D800
LED	EFPS1DLED	EFSS1DLED	EFBN1DLED

2 Gang

**400W
Dimmer Switch**

Dimensions

86x86x2mm



Variations

Watt/Led	 EFPS	 EFSS	 EFBN
400W	EFPS2D400	EFSS2D400	EFBN2D400
LED	EFPS2DLED	EFSS2DLED	EFBN2DLED



Watt/Led	 EFPS	 EFSS	 EFBN
400W	EFPS3D400	EFSS3D400	EFBN3D400
LED	EFPS3DLED	EFSS3DLED	EFBN3DLED

3 Gang**400W
Dimmer Switch****Dimensions**

146x86x2mm

Variations

Watt/Led	 EFPS	 EFSS	 EFBN
400W	EFPS4D400	EFSS4D400	EFBN4D400
LED	EFPS4DLED	EFSS4DLED	EFBN4DLED

4 Gang**400W
Dimmer Switch****Dimensions**

146x86x2mm

Variations

1 Gang

**13 Amp DP Switched
Socket**

Dimensions

86x86x2mm



Variations


Switch	 EFPS	 EFSS	 EFBN
Matching Black	EFPS1SOPSB	EFSS1SOSSB	EFBN1SOBNB
Matching White	EFPS1SOPSW	EFSS1SOSSW	N/A

2 Gang

**13 Amp DP Switched
Socket**

Dimensions

146x86x2mm



Variations

Switch	 EFPS	 EFSS	 EFBN
Matching Black	EFPS2SOPSB	EFSS2SOSSB	EFBN2SOBNB
Matching White	EFPS2SOPSW	EFSS2SOSSW	N/A



Interior	 EFPS	 EFSS	 EFBN
Matching Black	EFPS5AUSOB	EFSS5AUSOB	EFBN5AUSOB
Matching White	EFPS5AUSOW	EFSS5AUSOW	N/A

5 Amp Unswitched Socket

Dimensions

86x86x2mm

Variations



Switch	 EFPS	 EFSS	 EFBN
Matching Black	EFPS45ASWASPSB	EFSS45ASWASSSB	EFBN45ASWASBNB
Matching White	EFPS45ASWASPSW	EFSS45ASWASSSW	N/A

45 Amp DP Switch and Socket

Dimensions

146x86x2mm

Variations

Telephone Slave

Dimensions

86x86x2mm



Variations

Interior	 EFPS	 EFSS	 EFBN
Black	EFPS1SLB	EFSS1SLB	EFBN1SLB
White	EFPS1SLW	EFSS1SLW	EFBN1SLW

Telephone Master

Dimensions

86x86x2mm



Variations

Interior	 EFPS	 EFSS	 EFBN
Black	EFPS1MB	EFSS1MB	EFBN1MB
White	EFPS1MW	EFSS1MW	N/A



Interior	 EFPS	 EFSS	 EFBN
Black	EFPS1TVB	EFSS1TVB	EFBN1TVB
White	EFPS1TVW	EFSS1TVW	N/A



Interior	 EFPS	 EFSS	 EFBN
Black	EFPS2TVB	EFSS2TVB	EFBN2TVB
White	EFPS2TVW	EFSS2TVW	N/A

1 Gang**TV Outlet****Dimensions**

86x86x2mm

Variations**2 Gang****TV Outlet****Dimensions**

86x86x2mm

Variations

Sky + Socket

Dimensions

146x86x2mm

Variations



Interior	 EFPS	 EFSS	 EFBN
Black	EFPS SKY+B	EFSS SKY+B	EFBN SKY+B
White	EFPS SKY+W	EFSS SKY+W	N/A

- FULL RANGE OF TV, RADIO AND SATELLITE MODULES IN SINGLE, TWIN, TRIPLE AND QUAD FORMATS.
- INCLUDES TELEPHONE MASTER, SLAVE, DATA AND SPEAKER MODULES.
- AVAILABLE IN BLACK OR WHITE.



Shaver Socket

Dimensions

86x146x2mm

Interior	 EFPS	 EFSS	 EFBN
Black	EFPSSSHBS	EFSSSSHBS	EFBNSSHB
White	EFPSSSHWS	EFSSSSHWS	N/A

Variations

1 Gang

Blank Plate

Dimensions

86x86x2mm



Variations

 EFPSS	 EFSSS	 EFBN
EFPSS1B	EFSSS1B	EFBN1B

2 Gang

Blank Plate

Dimensions

146x86x2mm



Variations

 EFPSS	 EFSSS	 EFBN
EFPSS2B	EFSSS2B	EFBN2B

Eurolite utilise Crabtree capital power and control interiors which are fully design co-ordinated to offer consistent styling and inherent safety features across a broad range of applications.

Features include:

- Large concave rockers for ease of operation especially for the elderly and infirm.
- Labyrinth switch design to minimise visible arc flash and prevents front access to live parts.
- Large tunnel terminals with Live and Neutral angled for ease of wiring and to assist installation.
- Socket outlets with twin earth terminals as standard for high integrity earthing.
- Padlockable Fused Connection Unit carrier for extra on-site maintenance safety.
- Optional neon indicator for visual "ON".
- Positive drive action prevents balancing between ON and OFF position.
- Double pole product marking on moulded rocker to easily identify once product has been installed.
- Substantial silver alloy contacts for longer life and low contact resistance.
- 3mm contact gap ensures safe means of isolation.
- Individually boxed to protect product before installation.
- Metal rockers to harmonise with the decorative plate finish.
- Modular grid products enables units to be quickly and easily assembled to customers' individual specifications allowing several circuits to be controlled from a single position.

RECOMMENDED QUANTITY OF SOCKET OUTLETS FOR DOMESTIC INSTALLATIONS

An installation may have too few socket outlets or the existing socket outlets may be incorrectly sited. Both conditions are symptomatic of an inadequate installation which could lead to potentially dangerous improvisation. The following is a summary of the recommendations of the Electrical Installation Industry Liaison Committee and all socket outlets should be of the twin switched type.

NUMBER OF SOCKETS ROOM	6 KITCHEN	6 LOUNGE	4 DINING ROOM
4 DOUBLE BEDROOM	4 SITTING ROOM	4 SINGLE BEDROOM	1 LANDING/STAIRS
2 HALL	2 GARAGE	2 STORE/WORKROOM	1 CENTRAL HEATING BOILER POINT
GUIDE TO THE TERMINAL CAPACITIES OF THE PRINCIPAL WIRING ACCESSORIES - PRODUCT/CONDUCTOR SIZE			
	13A SOCKET OUTLETS	$3 \times 2.5\text{mm}^2, 2 \times 4\text{mm}^2, 2 \times 6\text{mm}^2$	
	13A FUSED CONNECTION UNITS	$3 \times 2.5\text{mm}^2, 2 \times 4\text{mm}^2, 2 \times 6\text{mm}^2$	
	10AX PLATE SWITCHES	$4 \times 1\text{mm}^2, 3 \times 1.5\text{mm}^2, 1 \times 2.5\text{mm}^2$	
	20A DP SWITCHES	$3 \times 2.5\text{mm}^2, 2 \times 4\text{mm}^2, 1 \times 6\text{mm}^2, 1 \times 10\text{mm}^2$	

1 Gang

10 Amp 2 Way Switch

Dimensions

95x95x10mm



Variations

Switch	 SPC	 SPB	 SSC
Black	SPC1SWB	SPB1SWB	SSC1SWB
White	SPC1SWW	SPB1SWW	SSC1SWW
Matching	SPC1SW	SPB1SW	SSC1SW

2 Gang

10 Amp 2 Way Switch

Dimensions

95x95x10mm



Variations

Switch	 SPC	 SPB	 SSC
Black	SPC2SWB	SPB2SWB	SSC2SWB
White	SPC2SWW	SPB2SWW	SSC2SWW
Matching	SCP2SW	SPB2SW	SSC2SW



Switch	SPC	SPB	SSC
Black	SPC3SWB	SPB3SWB	SSC3SWB
White	SPC3SWW	SPB3SWW	SSC3SWW
Matching	SPC3SW	SPB3SW	SSC3SW



Switch	SPC	SPB	SSC
Black	SPC4SWB	SPB4SWB	SSC4SWB
White	SPC4SWW	SPB4SWW	SSC4SWW
Matching	SPC4SW	SPB4SW	SSC4SW

3 Gang**10 Amp 2 Way Switch****Dimensions**

95x95x10mm

Variations**4 Gang****10 Amp 2 Way Switch****Dimensions**

150x95x10mm

Variations

20 Amp Intermediate Switch

Dimensions

95x95x10mm



Variations

Switch	 SPC	 SPB	 SSC
Black	SPCINTB	SPBINTB	SSCINTB
White	SPCINTW	SPBINTW	SSCINTW
Matching	SPCINT	SPBINT	SSCINT

20 Amp DP Switch

Dimensions

95x95x10mm



Variations

Switch	 SPC	 SPB	 SSC
Black	SPC20ASWB	SPB20ASWB	SSC20ASWB
White	SPC20ASWW	SPB20ASWW	SSC20ASWW
Matching	SPC20ASW	SPB20ASW	SSC20ASW



Switch	 SPC	 SPB	 SSC
Black	SPC20ASWNB	SPB20ASWNB	SSC20ASWNB
White	SPC20ASWNW	SPB20ASWNW	SSC20ASWNW
Matching	SPC20ASWN	SPB20ASWN	SSC20ASWN

20 Amp DP Switch
and Neon

Dimensions

95x95x10mm

Variations

- CRABTREE INTERIOR
- NEXT DAY DELIVERY
- £100 CARRIAGE PAID
- COMPETITIVE PRICING

**13 Amp Unswitched
Fuse Spur**

Dimensions

95x95x10mm



Variations

Interior	 SPC	 SPB	 SSC
Black	SPCUSWFB	SPBUSWFB	SSCUSWFB
White	SPCUSFWW	SPBUSFWW	SSCUSFWW

**13 Amp DP Switched
Fuse Spur**

Dimensions

95x95x10mm



Variations

Switch	 SPC	 SPB	 SSC
Black	SPCSWFB	SPBSWFB	SSCSWFB
White	SPCSFWW	SPBSFWW	SSCSFWW
Matching Black	SPCSWFPCB	SPBSWFPCB	SSCSWFSCB
Matching White	SPCSWFPCW	SPBSWFPCW	SSCSWFSCW



Switch	 SPC	 SPB	 SSC
Black	SPCSWFNB	SPBSWFNB	SSCSWFNB
White	SPCSWFNW	SPBSWFNW	SSCSWFNW
Matching Black	SPCSWFNCB	SPBSWFNPBB	SSCSWFNSCB
Matching White	SPCSWFNCW	SPBSWFNPBW	SSCSWFNSCW



Switch	 SPC	 SPB	 SSC
Black	SPCSWFFOB	SPBSWFFOB	SSCSWFFOB
White	SPCSWFFOW	SPBSWFFOW	SSCSWFFOW
Matching Black	SPCSWFFOCB	SPBSWFFOPBB	SSCSWFFOSCB
Matching White	SPCSWFFOCW	SPBSWFFOPBB	SSCSWFFOSCW

13 Amp DP Switched Fuse and Neon

Dimensions

95x95x10mm

Variations

13 Amp DP Switched Fuse and Flex Outlet

Dimensions

95x95x10mm

Variations

45 Amp DP Cooker Switch
Double Plate

Dimensions

95x150x10mm



Variations

Switch	 SPC	 SPB	 SSC
Black	SPC45ASWNB	SPB45ASWNB	SSC45ASWNB
White	SPC45ASWNW	SPB45ASWNW	SSC45ASWNW



Switch	 SPC	 SPB	 SSC
Black	SPC45ASWNSB	SPB45ASWNSB	SSC45ASWNSB
White	SPC45ASWNSW	SPB45ASWNSW	SSC45ASWNSW

**45 Amp Cooker Switch
Single Plate**

Dimensions

95x95x10mm

Variations



Switch	 SPC	 SPB	 SSC
Black	SPCFSWB	SPBFSWB	SSCFSWB
White	SPCFSWW	SPBFSWW	SSCFSWW
Matching	SPCFSW	SPBFSW	SSCFSW

**Fan Isolator Switch
Triple Pole**

Dimensions

95x95x10mm

Variations

1 Gang

**400W and 800W
Dimmer Switch**

Dimensions

95x95x10mm



Variations

Watt/Led	 SPC	 SPB	 SSC
400W	SPCID400	SPBID400	SSCID400
800W	SPCID800	SPBID800	SSCID800
LED	SPCIDLED	SPBIDLED	SSCIDLED

2 Gang

**400W
Dimmer Switch**

Dimensions

95x95x10mm



Variations

Watt/Led	 SPC	 SPB	 SSC
400W	SPC2D400	SPB2D400	SSC2D400
LED	SPC2DLED	SPB2DLED	SSC2DLED



Watt/Led	 SPC	 SPB	 SSC
400W	SPC3D400	SPB3D400	SSC3D400
LED	SPC3DLED	SPB3DLED	SSC3DLED

3 Gang**400W
Dimmer Switch****Dimensions**

150x95x10mm

Variations

Watt/Led	 SPC	 SPB	 SSC
400W	SPC4D400	SPB4D400	SSC4D400
LED	SPC4DLED	SPB4DLED	SSC4DLED

4 Gang**400W
Dimmer Switch****Dimensions**

150x95x10mm

Variations

1 Gang

**13 Amp DP Switched
Socket**

Dimensions

95x95x10mm



Variations

Switch	 SPC	 SPB	 SSC
Black	SPC1SOB	SPB1SOB	SSC1SOB
White	SPC1SOW	SPB1SOW	SSC1SOW
Matching	SPC1SOPCB	SPB1SOPBB	SSC1SOSCB
Black Matching White	SPC1SOPCW	SPB1SOPBW	SSC1SOSCW

2 Gang

**13 Amp DP Switched
Socket**

Dimensions

150x95x10mm



Variations

Switch			
Black	SPC2SOB	SPB2SOB	SSC2SOB
White	SPC2SOW	SPB2SOW	SSC2SOW
Matching	SPC2SOPCB	SPB2SOPBB	SSC2SOSCB
Black Matching White	SPC2SOPCW	SPB2SOPBW	SSC2SOSCW




Interior	 SPC	 SPB	 SSC
Black	SPC5AUSOB	SPB5AUSOB	SSC5AUSOB
White	SPC5AUSOW	SPB5AUSOW	SSC5AUSOW

5 Amp Unswitched Socket

Dimensions

95x95x10mm

Variations



Switch	 SPC	 SPB	 SSC
Black	SPC45ASWASB	SPB45ASWASB	SSC45ASWASB
White	SPC45ASWASW	SPB45ASWASW	SSC45ASWASW

45 Amp DP Switch and Socket

Dimensions

150x95x10mm

Variations

Telephone Slave

Dimensions

95x95x10mm



Variations

Interior	 SPC	 SPB	 SSC
Black	SPCISLB	SPBISLB	SSCISLB
White	SPCISLW	SPBISLW	SSCISLW

Telephone Master

Dimensions

95x95x10mm



Variations

Interior	 SPC	 SPB	 SSC
Black	SPCIMB	SPBIMB	SSCIMB
White	SPCIMW	SPBIMW	SSCIMW



Interior	 SPC	 SPB	 SSC
Black	SPC1TVB	SPB1TVB	SSC1TVB
White	SPC1TVW	SPB1TVW	SSC1TVW



Interior	 SPC	 SPB	 SSC
Black	SPC2TVB	SPB2TVB	SSC2TVB
White	SPC2TVW	SPB2TVW	SSC2TVW

1 Gang**TV Outlet****Dimensions**

95x95x10mm

Variations**2 Gang****TV Outlet****Dimensions**

95x95x10mm

Variations

Sky + Socket

Dimensions

150x95x10mm

Variations



Interior	 SPC	 SPB	 SSC
Black	SPCSKY+B	SPBSKY+B	SSCSKY+B
White	SPCSKY+W	SPBSKY+W	SSCSKY+W

- FULL RANGE OF TV, RADIO AND SATELLITE MODULES IN SINGLE, TWIN, TRIPLE AND QUAD FORMATS.
- INCLUDES TELEPHONE MASTER, SLAVE, DATA AND SPEAKER MODULES.
- AVAILABLE IN BLACK OR WHITE.



Shaver Socket

Dimensions

95x150x10mm

Variations

Interior	 SPC	 SPB	 SSC
Black	SPCShSB	SPBShSB	SSCShSB
White	SPCShSW	SPBShSW	SSCShSW

1 Gang

Blank Plate

Dimensions

95x95x10mm



Variations

 SPC	 SPB	 SSC
SPC1B	SPB1B	SSC1B

2 Gang

Blank Plate

Dimensions

150x95x10mm



Variations

 SPC	 SPB	 SSC
SPC2B	SPB2B	SSC2B

Euro-lite utilise Crabtree capital power and control interiors which are fully design co-ordinated to offer consistent styling and inherent safety features across a broad range of applications.

Features include:

- Large concave rockers for ease of operation especially for the elderly and infirm.
- Labyrinth switch design to minimise visible arc flash and prevents front access to live parts.
- Large tunnel terminals with Live and Neutral angled for ease of wiring and to assist installation.
- Socket outlets with twin earth terminals as standard for high integrity earthing.
- Padlockable Fused Connection Unit carrier for extra on-site maintenance safety.
- Optional neon indicator for visual "ON".
- Positive drive action prevents balancing between ON and OFF position.
- Double pole product marking on moulded rocker to easily identify once product has been installed.
- Substantial silver alloy contacts for longer life and low contact resistance.
- 3mm contact gap ensures safe means of isolation.
- Individually boxed to protect product before installation.
- Metal rockers to harmonise with the decorative plate finish.
- Modular grid products enables units to be quickly and easily assembled to customers' individual specifications allowing several circuits to be controlled from a single position.

RECOMMENDED QUANTITY OF SOCKET OUTLETS FOR DOMESTIC INSTALLATIONS

An installation may have too few socket outlets or the existing socket outlets may be incorrectly sited. Both conditions are symptomatic of an inadequate installation which could lead to potentially dangerous improvisation. The following is a summary of the recommendations of the Electrical Installation Industry Liaison Committee and all socket outlets should be of the twin switched type.

NUMBER OF SOCKETS ROOM	6 KITCHEN	6 LOUNGE	4 DINING ROOM
4 DOUBLE BEDROOM	4 SITTING ROOM	4 SINGLE BEDROOM	1 LANDING/STAIRS
2 HALL	2 GARAGE	2 STORE/WORKROOM	1 CENTRAL HEATING BOILER POINT
GUIDE TO THE TERMINAL CAPACITIES OF THE PRINCIPAL WIRING ACCESSORIES - PRODUCT/CONDUCTOR SIZE			
			
13A SOCKET OUTLETS		3 x 2.5mm ² , 2 x 4mm ² , 2 x 6mm ²	
13A FUSED CONNECTION UNITS		3 x 2.5mm ² , 2 x 4mm ² , 2 x 6mm ²	
10AX PLATE SWITCHES		4 x 1mm ² , 3 x 1.5mm ² , 1 x 2.5mm ²	
20A DP SWITCHES		3 x 2.5mm ² , 2 x 4mm ² , 1 x 6mm ² , 1 x 10mm ²	

1 Gang

10 Amp 2 Way Switch

Dimensions

95x95x10mm



Variations

Switch	 C	 SC	 V
Black	CISWB	SCISWB	VISWB
White	CISWW	SCISWW	VISWW
Matching	CISW	SCISW	VISW

2 Gang

10 Amp 2 Way Switch

Dimensions

95x95x10mm




Variations

Switch	 C	 SC	 V
Black	C2SWB	SC2SWB	V2SWB
White	C2SWW	SC2SWW	V2SWW
Matching	C2SW	SC2SW	V2SW



Switch	 C	 SC	 V
Black	C3SWB	SC3SWB	V3SWB
White	C3SWW	SC3SWW	V3SWW
Matching	C3SW	SC3SW	V3SW



Switch	 C	 SC	 V
Black	C4SWB	SC4SWB	V4SWB
White	C4SWW	SC4SWW	V4SWW
Matching	C4SW	SC4SW	V4SW

3 Gang**10 Amp 2 Way Switch****Dimensions**

95x95x10mm

Variations**4 Gang****10 Amp 2 Way Switch****Dimensions**

150x95x10mm

Variations

20 Amp Intermediate Switch

Dimensions

95x95x10mm



Variations

Switch	 C	 SC	 V
Black	CINTB	SCINTB	VINTB
White	CINTW	SCINTW	VINTW
Matching	CINT	SCINT	VINT

20 Amp DP Switch

Dimensions

95x95x10mm



Variations

Switch	 C	 SC	 V
Black	C20ASWB	SC20ASWB	V20ASWB
White	C20ASWW	SC20ASWW	V20ASWW
Matching	C20ASW	SC20ASW	V20ASW



Switch	 C	 SC	 V
Black	C20ASWNB	SC20ASWNB	V20ASWNB
White	C20ASWNW	SC20ASWNW	V20ASWNW
Matching	C20ASWN	SC20ASWN	V20ASWN

20 Amp DP Switch
and Neon

Dimensions

95x95x10mm

Variations

- CRABTREE INTERIOR
- NEXT DAY DELIVERY
- £100 CARRIAGE PAID
- COMPETITIVE PRICING

**13 Amp Unswitched
Fuse Spur**

Dimensions

95x95x10mm

Variations



Interior	 C	 SC	 V
Black	CUSWFB	SCUSWFB	VUSWFB
White	CUSWFW	SCUSWFW	VUSWFW

**13 Amp DP Switched
Fuse Spur**

Dimensions

95x95x10mm

Variations



Switch	 C	 SC	 V
Black	CSWFB	SCSWFB	VSWFB
White	CSWFW	SCSWFW	VSWFW
Matching Black	CSWFPCB	SCSWFSCB	VSWFPBB
Matching White	CSWFPCW	SCSWFSCW	VSWFPBW



Switch	C	SC	V
Black	CSWFNB	SCSWFNB	VSWFNB
White	CSWFNW	SCSWFNW	VSWFNW
Matching Black	CSWFNPCB	SCSWFNSCB	VSWFNPBB
Matching White	CSWFNPCW	SCSWFNSCW	VSWFNPBW



Switch	C	SC	V
Black	CSWFFOB	SCSWFFOB	VSWFFOB
White	CSWFFOW	SCSWFFOW	VSWFFOW
Matching Black	CSWFFOPCB	SCSWFFOSCB	VSWFFOPBB
Matching White	CSWFFOPCW	SCSWFFOSCW	VSWFFOPBW

13 Amp DP Switched Fuse and Neon

Dimensions

95x95x10mm

Variations

13 Amp DP Switched Fuse and Flex Outlet

Dimensions

95x95x10mm

Variations

45 Amp DP Cooker Switch
Double Plate

Dimensions

95x150x10mm



Variations

Switch	C	SC	V
Black	C45ASWNB	SC45ASWNB	V45ASWNB
White	C45ASWNW	SC45ASWNW	V45ASWNW



**45 Amp Cooker Switch
Single Plate**

Dimensions

95x95x10mm

Variations

Switch	 C	 SC	 V
Black	C45ASWNSB	SC45ASWNSB	V45ASWNSB
White	C45ASWNSW	SC45ASWNSW	V45ASWNSW



**Fan Isolator Switch
Triple Pole**

Dimensions

95x95x10mm

Variations

Switch	 C	 SC	 V
Black	CFSWB	SCFSWB	VFSWB
White	CFSWW	SCFSWW	VFSWW
Matching	CFSW	SCFSW	VFSW

1 Gang

**400W and 800W
Dimmer Switch**

Dimensions

95x95x10mm



Variations

Watt/Led	 C	 SC	 V
400W	CID400	SCID400	VID400
800W	CID800	SCID800	VID800
LED	CIDLED	SCIDLED	VIDLED

2 Gang

**400W
Dimmer Switch**

Dimensions

95x95x10mm



Variations

Watt/Led	 C	 SC	 V
400W	C2D400	SC2D400	V2D400
LED	C2DLED	SC2DLED	V2DLED


WHEN USING ANY DIMMER TO CONTROL LOW VOLTAGE LIGHTING WE RECOMMEND
TESTING THE COMPATIBILITY BEFORE FULL INSTALLATION



Watt/Led	 C	 SC	 V
400W	C3D400	SC3D400	V3D400
LED	C3DLED	SC3DLED	V3DLED

3 Gang**400W
Dimmer Switch****Dimensions**

150x95x10mm

Variations

Watt/Led	 C	 SC	 V
400W	C4D400	SC4D400	V4D400
LED	C4DLED	SC4DLED	V4DLED

4 Gang**400W
Dimmer Switch****Dimensions**

150x95x10mm

Variations

1 Gang

**13 Amp DP Switched
Socket**

Dimensions

95x95x10mm



Variations


Switch	 C	 SC	 V
Black	CISOB	SCISOB	VISOB
White	CISOW	SCISOW	VISOW
Matching	CISOPCB	SCISOSCB	VISOPBB
Black	CISOPCW	SCISOSCW	VISOPBW
Matching			
White			

2 Gang

**13 Amp DP Switched
Socket**

Dimensions

150x95x10mm



Variations

Switch	 C	 SC	 V
Black	C2SOB	SC2SOB	V2SOB
White	C2SOW	SC2SOW	V2SOW
Matching	C2SOPCB	SC2SOSCB	V2SOPBB
Black	C2SOPCW	SC2SOSCW	V2SOPBW
Matching			
White			




interior	 C	 SC	 V
Black	C5AUSOB	SC5AUSOB	V5AUSOB
White	C5AUSOW	SC5AUSOW	V5AUSOW

5 Amp Unswitched Socket

Dimensions

95x95x10mm

Variations



Switch	 C	 SC	 V
Black	C45ASWASB	SC45ASWASB	V45ASWASB
White	C45ASWASW	SC45ASWASW	V45ASWASW

45 Amp DP Switch and Socket

Dimensions

150x95x10mm

Variations

Telephone Slave

Dimensions

95x95x10mm



Variations

Interior	 C	 SC	 V
Black	CISLB	SCISLB	VISLB
White	CISLW	SCISLW	VISLW

Telephone Master

Dimensions

95x95x10mm



Variations

Interior	 C	 SC	 V
Black	CIMB	SCIMB	VIMB
White	CIMW	SCIMW	VIMW



Interior	 C	 SC	 V
Black	CITVB	SCITVB	VITVB
White	CITVW	SCITVW	VITVW



Interior	 C	 SC	 V
Black	C2TVB	SC2TVB	V2TVB
White	C2TVW	SC2TVW	V2TVW

1 Gang**TV Outlet****Dimensions**

95x95x10mm

Variations**2 Gang****TV Outlet****Dimensions**

95x95x10mm

Variations

Sky + Socket

Dimensions

150x95x10mm

Variations



Interior	 C	 SC	 V
Black	CSKY+B	SCSKY+B	VSKY+B
White	CSKY+W	SCSKY+W	VSKY+W

- FULL RANGE OF TV, RADIO AND SATELLITE MODULES IN SINGLE, TWIN, TRIPLE AND QUAD FORMATS.
- INCLUDES TELEPHONE MASTER, SLAVE, DATA AND SPEAKER MODULES.
- AVAILABLE IN BLACK OR WHITE.



Shaver Socket

Dimensions

95x150x10mm

Variations

Interior	 C	 SC	 V
Black	CSHSB	SCSHSB	VSHSB
White	CSHSW	SCSHSW	VSHSW

1 Gang

Blank Plate

Dimensions

95x95x10mm



Variations

 C	 SC	 V
CIB	SCIB	VIB

2 Gang

Blank Plate

Dimensions

150x95x10mm



Variations

 C	 SC	 V
C2B	SC2B	V2B

Eurolite utilise Crabtree capital power and control interiors which are fully design co-ordinated to offer consistent styling and inherent safety features across a broad range of applications.

Features include:

- Large concave rockers for ease of operation especially for the elderly and infirm.
- Labyrinth switch design to minimise visible arc flash and prevents front access to live parts.
- Large tunnel terminals with Live and Neutral angled for ease of wiring and to assist installation.
- Socket outlets with twin earth terminals as standard for high integrity earthing.
- Padlockable Fused Connection Unit carrier for extra on-site maintenance safety.
- Optional neon indicator for visual "ON".
- Positive drive action prevents balancing between ON and OFF position.
- Double pole product marking on moulded rocker to easily identify once product has been installed.
- Substantial silver alloy contacts for longer life and low contact resistance.
- 3mm contact gap ensures safe means of isolation.
- Individually boxed to protect product before installation.
- Metal rockers to harmonise with the decorative plate finish.
- Modular grid products enables units to be quickly and easily assembled to customers' individual specifications allowing several circuits to be controlled from a single position.

RECOMMENDED QUANTITY OF SOCKET OUTLETS FOR DOMESTIC INSTALLATIONS

An installation may have too few socket outlets or the existing socket outlets may be incorrectly sited. Both conditions are symptomatic of an inadequate installation which could lead to potentially dangerous improvisation. The following is a summary of the recommendations of the Electrical Installation Industry Liaison Committee and all socket outlets should be of the twin switched type.

NUMBER OF SOCKETS ROOM	6 KITCHEN	6 LOUNGE	4 DINING ROOM
4 DOUBLE BEDROOM	4 SITTING ROOM	4 SINGLE BEDROOM	1 LANDING/STAIRS
2 HALL	2 GARAGE	2 STORE/WORKROOM	1 CENTRAL HEATING BOILER POINT
GUIDE TO THE TERMINAL CAPACITIES OF THE PRINCIPAL WIRING ACCESSORIES - PRODUCT/CONDUCTOR SIZE			
	13A SOCKET OUTLETS	$3 \times 2.5\text{mm}^2, 2 \times 4\text{mm}^2, 2 \times 6\text{mm}^2$	
	13A FUSED CONNECTION UNITS	$3 \times 2.5\text{mm}^2, 2 \times 4\text{mm}^2, 2 \times 6\text{mm}^2$	
	10AX PLATE SWITCHES	$4 \times 1\text{mm}^2, 3 \times 1.5\text{mm}^2, 1 \times 2.5\text{mm}^2$	
	20A DP SWITCHES	$3 \times 2.5\text{mm}^2, 2 \times 4\text{mm}^2, 1 \times 6\text{mm}^2, 1 \times 10\text{mm}^2$	

1 Gang

10 Amp 2 Way Switch

Dimensions

95x95x10mm

Variations



Switch	 G
Black	GISWB
White	GISWW
Matching	GISW

2 Gang

10 Amp 2 Way Switch

Dimensions

95x95x10mm

Variations



Switch	 G
Black	G2SWB
White	G2SWW
Matching	G2SW



Switch	 G
Black	G3SWB
White	G3SWW
Matching	G3SW



Switch	 G
Black	G4SWB
White	G4SWW
Matching	G4SW

3 Gang**10 Amp 2 Way Switch****Dimensions**

95x95x10mm

Variations**4 Gang****10 Amp 2 Way Switch****Dimensions**

150x95x10mm

Variations

20 Amp Intermediate Switch

Dimensions

95x95x10mm



Variations

Switch	 G
Black	GINTB
White	GINTW
Matching	GINT

20 Amp DP Switch

Dimensions

95x95x10mm



Variations

Switch	 G
Black	G20ASWB
White	G20ASWW
Matching	G20ASW



Switch	 G
Black	G20ASWNB
White	G20ASWNW
Matching	G20ASWN

**20 Amp DP Switch
and Neon**

Dimensions

95x95x10mm

Variations

- CRABTREE INTERIOR
- NEXT DAY DELIVERY
- £100 CARRIAGE PAID
- COMPETITIVE PRICING

**13 Amp Unswitched
Fuse Spur**

Dimensions

95x95x10mm



Variations

Interior	 G
Black	GUSWFB
White	GUSWFW

**13 Amp DP Switched
Fuse Spur**

Dimensions

95x95x10mm



Variations

Switch	 G
Black	GSWFB
White	GSWFW
Matching Black	GSWFPBB
Matching White	GSWFBBW



Switch	 G
Black	GSWFNB
White	GSWFNW
Matching Black	GSWFNPBB
Matching White	GSWFNPBW



Switch	 G
Black	GSWFFOB
White	GSWFFOW
Matching Black	GSWFFOPBB
Matching White	GSWFFOPBW

13 Amp DP Switched Fuse and Neon

Dimensions

95x95x10mm

Variations

13 Amp DP Switched Fuse and Flex Outlet

Dimensions

95x95x10mm

Variations

**45 Amp DP Cooker Switch
Double Plate**

Dimensions

95x150x10mm



Variations

Switch	 G
Black	G45ASWNB
White	G45ASWNW



Switch	 G
Black	G45ASWNSB
White	G45ASWNSW



Switch	 G
Black	GFSWB
White	GFSWW
Matching	GFSW

45 Amp Cooker Switch**Dimensions**

95x95x10mm

Variations**Fan Isolator Switch
Triple Pole****Dimensions**

95x95x10mm

Variations

1 Gang

**400W and 800W
Dimmer Switch**

Dimensions

95x95x10mm



Variations

Watt/Led	 G
400W	GID400
800W	GID800
LED	GIDLED

2 Gang

**400W
Dimmer Switch**

Dimensions

95x95x10mm



Variations

Watt/Led	 G
400W	G2D400
LED	G2DLED



Watt/Led	 G
400W	G3D400
LED	G3DLED

3 Gang**400W
Dimmer Switch****Dimensions**

150x95x10mm

Variations

Watt/Led	 G
400W	G4D400
LED	G4DLED

4 Gang**400W
Dimmer Switch****Dimensions**

150x95x10mm

Variations

1 Gang

13 Amp DP Switched Socket

Dimensions

95x95x10mm



Variations

Switch	 G
Black	GISOB
White	GISOW
Matching	GISOPBB
Black Matching	GISOPBW
White	

2 Gang

13 Amp DP Switched Socket

Dimensions

150x95x10mm



Variations

Switch	 G
Black	G2SOB
White	G2SOW
Matching	G2SOPBB
Black Matching	G2SOPBW
White	



Interior	 G
Black	G5AUSOB
White	G5AUSOW

5 Amp Unswitched Socket

Dimensions

95x95x10mm

Variations



Switch	 G
Black	G45ASWASB
White	G45ASWASW

45 Amp DP Switch and Socket

Dimensions

150x95x10mm

Variations

Telephone Slave

Dimensions

95x95x10mm



Variations

Interior	 G
Black	GISLB
White	GISLW

Telephone Master

Dimensions

95x95x10mm



Variations

Interior	 G
Black	GIMB
White	GIMW



Interior	 G
Black	GITVB
White	GITVW



Interior	 G
Black	G2TVB
White	G2TVW

1 Gang

TV Outlet

Dimensions

95x95x10mm

Variations

2 Gang

TV Outlet

Dimensions

95x95x10mm

Variations

Sky + Socket

Dimensions

150x95x10mm

Variations



Interior	 G
Black	GSKY+B
White	GSKY+W

- FULL RANGE OF TV, RADIO AND SATELLITE MODULES IN SINGLE, TWIN, TRIPLE AND QUAD FORMATS.
- INCLUDES TELEPHONE MASTER, SLAVE, DATA AND SPEAKER MODULES.
- AVAILABLE IN BLACK OR WHITE.



Shaver Socket

Dimensions

95x150x10mm

Interior	 G
Black	GSHSB
White	GSHSW

Variations

1 Gang

Blank Plate

Dimensions

95x95x10mm



Variations



2 Gang


Blank Plate

Dimensions

150x95x10mm



Variations



Eurolite utilise Crabtree capital power and control interiors which are fully design co-ordinated to offer consistent styling and inherent safety features across a broad range of applications.

Features include:

- Large concave rockers for ease of operation especially for the elderly and infirm.
- Labyrinth switch design to minimise visible arc flash and prevents front access to live parts.
- Large tunnel terminals with Live and Neutral angled for ease of wiring and to assist installation.
- Socket outlets with twin earth terminals as standard for high integrity earthing.
- Padlockable Fused Connection Unit carrier for extra on-site maintenance safety.
- Optional neon indicator for visual "ON".
- Positive drive action prevents balancing between ON and OFF position.
- Double pole product marking on moulded rocker to easily identify once product has been installed.
- Substantial silver alloy contacts for longer life and low contact resistance.
- 3mm contact gap ensures safe means of isolation.
- Individually boxed to protect product before installation.
- Metal rockers to harmonise with the decorative plate finish.
- Modular grid products enables units to be quickly and easily assembled to customers' individual specifications allowing several circuits to be controlled from a single position.

RECOMMENDED QUANTITY OF SOCKET OUTLETS FOR DOMESTIC INSTALLATIONS

An installation may have too few socket outlets or the existing socket outlets may be incorrectly sited. Both conditions are symptomatic of an inadequate installation which could lead to potentially dangerous improvisation. The following is a summary of the recommendations of the Electrical Installation Industry Liaison Committee and all socket outlets should be of the twin switched type.

NUMBER OF SOCKETS ROOM	6 KITCHEN	6 LOUNGE	4 DINING ROOM
4 DOUBLE BEDROOM	4 SITTING ROOM	4 SINGLE BEDROOM	1 LANDING/STAIRS
2 HALL	2 GARAGE	2 STORE/WORKROOM	1 CENTRAL HEATING BOILER POINT
GUIDE TO THE TERMINAL CAPACITIES OF THE PRINCIPAL WIRING ACCESSORIES - PRODUCT/CONDUCTOR SIZE			
	13A SOCKET OUTLETS	$3 \times 2.5\text{mm}^2, 2 \times 4\text{mm}^2, 2 \times 6\text{mm}^2$	
	13A FUSED CONNECTION UNITS	$3 \times 2.5\text{mm}^2, 2 \times 4\text{mm}^2, 2 \times 6\text{mm}^2$	
	10AX PLATE SWITCHES	$4 \times 1\text{mm}^2, 3 \times 1.5\text{mm}^2, 1 \times 2.5\text{mm}^2$	
	20A DP SWITCHES	$3 \times 2.5\text{mm}^2, 2 \times 4\text{mm}^2, 1 \times 6\text{mm}^2, 1 \times 10\text{mm}^2$	

Grid Range



- MULTI GRID OPTIONS AVAILABLE
- 1 - 24 GANG
- VARIOUS INTERIOR OPTIONS
- KEY SWITCHES
- ENGRAVED SWITCHES
- FLEX OUTLETS
- FOR FURTHER DETAILS CONTACT
SALES OFFICE ON 01 772 672020

**Modular Range**

- DATA
- TV
- HDMI
- TELEPHONE
- SATELLITE
- QUAD
- TRIPLEX
- DUPLEX
- LOUD SPEAKER
- RCA
- USB CHARGER
- ANY INTERIOR
- AVAILABLE IN MOST FINISHES

Ceiling Pull Switch

Dimensions

83mm Dia.



Variations

 CP	 SC	 PB
B119CH	B119SC	B119



Switch	 CP	 SC	 PB
Black	CARCB	SCARCB	PBARCB
White	CARCW	SCARCW	PBARCW
Matching Black	CARCPCB	SCARCSCB	PBARCPBB
Matching White	CARCPCW	SCARCSCW	PBARCPBW

Architrave Switch

Dimensions

35x86mm

Variations

Flat Plate Range 13 Amp DP Switched Socket



Stainless Steel Range Dimmer Switch



EUROLITE